



An Oshkosh Corporation Company

Spare Parts Manual

270 K/2.5-18

P/N 99904126

IOWA MOLD TOOLING CO., INC.
BOX 189, GARNER, IA
50438-0189
TEL: 641-923-3711

Spare Parts Catalogue
270K

Part	Page	From no.	To no.
Base	45501010	67 00 01	
Oil level hose	45501015	67 00 01	
Slewing system	45501020	67 00 01	
Column	45501030	67 00 01	
Main boom	45502010	67 00 01	
Jib	45502020	67 00 01	
Jib extension, K1	45502030	67 00 01	
Jib extension, K2	45502031	67 00 01	
Jib extension, K3	45502032	67 00 01	
Hook suspension	45502100	67 00 01	
Manual extension, K2	45502201	67 00 01	
Manual extension, K3	45502202	67 00 01	
Boom- and jib cylinder	45503010	67 00 01	
Boom cylinder with LHV	45503011	67 00 01	
Jib cylinder with double LHV	45503012	67 00 01	
Extension cylinder, I, C40-1200	45503050	67 00 01	
Extension cylinder, II, C40-1300	45503051	67 00 01	
Extension cylinder, III, C40-1300	45503052	67 00 01	
Stabilizer cylinder, C50-335	45503100	67 00 01	
Stabilizer cylinder with piloted check-valve	45503101	67 00 01	
Stabilizer beam, short and lon	45504010	67 00 01	
Safety lock	45504100	67 00 01	
Stabilizer lock	45504150	67 00 01	
Lock bolt for stabilizer leg	45504200	67 00 01	
Valve block SDM081	45505010	67 00 01	
Hydrocontrol valve block M50-6, NEM radio remote control	45505015	67 00 01	
Electro-hydraulic NEM-kit, NEM radio remote control	45505030	67 00 01	
Valve bracket and dual control	45505100	67 00 01	
	45505100A	67 01 57	
Kit for valve bracket, NEM radio remote control	45505110	67 00 01	
	45505111	67 00 01	
Dual control, NEM radio remote control	45505130	67 00 01	
Hydraulic system, pump and tank, NEM radio remote control	45505140	67 00 01	
Pump circuit incl. tank	45505150	67 00 01	
Hydraulic system, pump, NEM radio remote control	45505190	67 00 01	
Hydraulic system, slewing	45505200	67 00 01	
Hydraulic system, slewing, (LHV), NEM radio remote control	45505220	67 00 01	
Hydraulic system, slewing, NEM radio remote control	45505230	67 00 01	

Spare Parts Catalogue
270K

Part	Page	From no.	To no.
Fittings, extension cylinder, K1, K2	45505360	67 00 01	
Fittings, extension cylinder, K3	45505362	67 00 01	
Hydraulic system, stabilizers	45505450	67 00 01	
Load indicator	45505600	67 00 01	
Hydraulic system,	45505610	67 00 01	
Emergency stop kit	45505650	67 00 01	
Hydraulic system, boom, jib and extension cylinders C=6 o'clock	45505810	67 00 01	
Hydraulic system, boom, jib and extension cylinders C=12 o'clock	45505830	67 00 01	
Hydraulic system, boom, jib and extension cylinders C=6 o'clock, NEM radio remote control	45505840	67 00 01	
Hydraulic system, boom, jib and extension cylinders C=12 o'clock, NEM radio remote control	45505850	67 00 01	
Labels	45506010	67 00 01	
Mounting fittings	45506100	67 00 01	
Valve bracket + dual ctrl stab	45507020	67 00 01	
Series connection	45507030	67 00 01	
Series connection, NEM radio remote control	45507040	67 00 01	
High pressure filter	45507500	67 00 01	
Kit for extra valves	45507510	67 00 01	
	45507520	67 00 01	
<u>El-parts, in general</u>			
BEHEW	455 20 040	670001	
Alarm flash	455 20 050	670001	
Spotlight	455 20 060	670001	
Spotlight via RC	455 20 070	670001	
<u>El-parts, RC</u>			
Basic electronic parts, NEMRC with CE	455 22 010	670001	
Basic electronic parts, NEMRC without CE	455 22 020	670001	




An Oshkosh Corporation Company

270K

45501010

Intern ref.: 1330010



Base complete

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified: 13.10.2005

Item no.	Qty.	Part no.	Description	Remarks
1	1	1330001	Base	1700
2	1	1330251	Base	2000
3	1	63418	Bearing, upper	
4	1	31318	Lubricator	1/8" RG
5	1	1330037	Cover	
6	1	33264	Spring ring	SB150
7	1	63419	Bearing, bottom	
8	1	20332	O-ring	OR 149 x 4




An Oshkosh Corporation Company

270K

45501015

Intern ref.: 1320390



Oil level hose

As from / To loader no.: 67 00 01 /

Created: 01.06.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	2	64500	Elbow	WES 8/R-3/8"
2	2	31452	Clamp	
3	1	62511	Plastic hose	385 mm




An Oshkosh Corporation Company

270K

45501020

Intern ref.: 1330020



Slewing system

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
	2	6893820	Seal kit	Pos. 5, 8
1		1330021	Slewing cylinder	
2		1330024	Piston	
3	2	1330023	Flange	
4	1	1330025	Rack	
5	2	20189	O-ring	OR 79,5 x 3
6	16	30442	Screw	MC8 x 30
7		63424	Bearing	
8	2	20978	Double acting seal	M80/65 x 20
9	2	1330070	Slewing cyl. w/ piston+gasket	




270K

45501030

An Oshkosh Corporation Company

Intern ref.: 1330030



Column

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	1330031	Column	
2	2	23950	Bushing	ø35/ø39 x 40 mm MF41
3	1	1330109	Pin	
4	1	1330116	Lock plate	
5	1	1330039	Screw	
6	1	21108	Seal washer	ø27,05 x 34,93 x 2,34
7	1	21977	V-ring	VA-0160
8	1	30135	Set screw, stainless	M8 x 30
9	1	25961	Plug	
10	1	31147	Washer, stainless	8 mm
11	1	30886	Lock nut, stainless	M8
12	1	1330167	Distance pipe	




An Oshkosh Corporation Company

270K

45502010

Intern ref.: 1330080



Main boom

As from / To loader no.: 67 00 01/
Created: 03.02.2005
Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	1330075	Main boom	
2	3	1330108	Pin	
3	3	1330116	Lock plate	
4	3	31147	Washer, stainless	8 mm
5	3	30134	Set screw, stainless	M8 x 25
6	3	30886	Lock nut, stainless	M8
7	4	63699	Spacer	




An Oshkosh Corporation Company

270K

45502020

Intern ref.: 1330100



Jib

As from / To loader no.: 67 00 01/
Created: 03.02.2005
Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	1330084	Jib	
2	1	1330109	Pin	
3	1	1330108	Pin	
4	2	1330116	Lock plate	
5	2	23950	Bushing	EP35-39 x 40
6	2	31147	Washer, stainless	8 mm
7	2	30134	Set screw, stainless	M8 x 25
8	2	30886	Lock nut, stainless	M8
9	1	1330167	Distance pipe	




An Oshkosh Corporation Company

270K

45502030

Intern ref.: 1330120



Jib extension, K1

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	2	63799	Slide block	6246244, 9 mm
2	2	63835	Slide block no. 1	6243534, 8 mm
3	2	63838	Slide block no. 4	6243564, 10 mm
4	1	1320186	Bracket	
5	6	31147	Washer, stainless	8 mm
6	4	30925	Round-head screw	M8 x 16
7	1	1320185	Bracket	
8	1	1330121	Extension, K1	
9	2	1330128	Spacer	
10	2	1330129	Spacer	
11	2	30130	Set screw, stainless	M8 x 12




An Oshkosh Corporation Company

270K

45502031

Intern ref.: 1330130



☆ Loctite 243

7/26/2016

20

1 (2)

Jib extension, K2

As from / To loader no.: 67 00 01/
 Created: 03.02.2005
 Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	2	63773	Slide block	6322744, 8 mm
2	2	63774	Slide block	6322754, 9 mm
3	2	63775	Slide block	6322764, 10 mm
4	1	1320186	Bracket	
5	6	31147	Washer, stainless	8 mm
6	4	30925	Round-head screw	M8 x 16
7	1	1330131	Extension, K2	
8	2	1330128	Spacer	
9	2	1330129	Spacer	
10	2	30130	Set screw, stainless	M8 x 12
11	1	1320185	Bracket	




An Oshkosh Corporation Company

270K

45502032

Intern ref.: 1330140



Extension, K3

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	2	63747	Slide block	6 mm
2	2	63748	Slide block	8 mm
3	2	1330129	Spacer	
4	2	1330128	Spacer	
5	6	31147	Washer, stainless	8 mm
6	2	30131	Set screw, stainless	M8 x 16
7	1	1320186	Bracket	
8	4	30925	Round-head screw	M8 x 16
9	1	1330141	Suspension, K3	
10	1	1320185	Bracket	




An Oshkosh Corporation Company

270K

45502100

Intern ref.: 1330160



Hook suspension

As from / To loader no.: 67 00 01/
Created: 03.02.2005
Modified: 10.03.2011

Item no.	Qty.	Part no.	Description	Remarks
1	1	62191	Swivel hook	
2	1	1330156	Hook suspension	
3	1	31537	Steel bolt, stainless	M20 x 110
4	1	30894	Lock nut	M20
5		63216	Safety catch	




An Oshkosh Corporation Company

270K

45502201

Intern ref.: 1330360



Man. extension, cpl., K2

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	1330231	Manual extension, K2	
2	1	1330222	Housing	
3	1	1330224	Lock pin	
4	1	32302	Face washer, stainless	6 mm
5	1	30111	Set screw, stainless	M6 x 12
6	1	1330233	Stop	
7	6	31147	Washer, stainless	8 mm
8	4	30925	Round-head screw	M8 x 16
9	2	1330128	Spacer	
10	2	30131	Set screw, stainless	M8 x 16
11	1	1320185	Bracket	
12	1	65796	Metallic plate - manual ext.	
13	1	65631	CE-label	
14	2	31340	Rivet	
15	1	63747	Slide block	6 mm
16	1	1330380	Lock spring with chain	




270K

45502202

An Oshkosh Corporation Company

Intern ref.: 1330370



Man. extension, cpl., K3

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	1330213	Manual extension, K3	
2	1	1330222	Housing	
3	1	1330223	Lock pin	
4	1	32302	Face washer, stainless	6 mm
5	1	30111	Set screw, stainless	M6 x 12
6	1	1330217	Bracket	
7	2	31147	Washer, stainless	8 mm
8	2	30925	Round-head screw	M8 x 16
9	1	65796	Metallic plate - manual ext.	
10	1	65631	CE-label	
11	2	31340	Rivet	
12	1	1330380	Lock spring with chain	




270K

45503010

An Oshkosh Corporation Company

Intern ref.: 1330040



7/26/2016

30

1 (2)

Boom- and jib cylinder

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
	1	6893760	Seal kit	Pos. 2, 3, 5, 6, 8, 12, 14
1	1	1330048	Boom/jib cylinder	
2	1	20970	Seal kit	
3	1	21851	Guide ring	RWR 45 x 50 x 15-A
4	1	1330054	Guide	
5	1	20964	Scraper	PWD 45/53 x 5 x 5,8
6	2	20190	O-ring	OR 84,5 x 3
7	1	20710	Back ring	84,5 x 3
8	1	33488	Lock ring, black	
9	1	1330059	Plate	
10	4	32302	Face washer, stainless	6 mm
11	4	30112	Set screw, stainless	M6 x 16
12	1	21852	Seal double-acting	M 90 x 75 x 20
13	1	1330057	Piston	
14	1	20181	O-ring	OR 44,2 x 3
15	1	1330055	Piston rod	
16	4	23950	Bushing	ø35/ø39 x 40 mm MF41
17	1	1330092	Distance pipe	




An Oshkosh Corporation Company

270K

45503011

Intern ref.: 1330050



Boom cylinder with LHV

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified: 02.01.2012

Item no.	Qty.	Part no.	Description	Remarks
1	2	25244	Connection	GES 8 LR 3/8-WD
2	1	58480	Single valve	
3	4	31147	Washer, stainless	
4	4	30137	Set screw, stainless	M8 x 40
5	1	25277	Plug	VS-R-3/8 WD
6	1	26103	Pressure-gauge connect.	
7	1	25253	Connection	P-GEV 10 LR 3/8-WD
8	1	25120	Elbow connection	P-EWV 10 L-SV
9	1	1330202	Pipe	
10	1	26897	Elbow connection	12 mm - 3/8"
11	1	59966	Cover	
12	1	1330040	Boom- and jib cylinder	




An Oshkosh Corporation Company

270K

45503012

Intern ref.: 1330150



Jib cylinder with double LHV

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified: 02.01.2012

Item no.	Qty.	Part no.	Description	Remarks
1	2	25244	Connection	GES 8 LR 3/8-WD
2	1	59027	Load-holding valve	
3	4	31147	Washer, stainless	
4	4	30137	Set screw, stainless	M8 x 40
5	1	25277	Plug	VS-R-3/8 WD
6	1	26103	Pressure-gauge connect.	
7	1	25253	Connection	P-GEV 10 LR 3/8-WD
8	1	25120	Elbow connection	P-EWV 10 L-SV
9	1	1330203	Pipe	
10	1	26896	Elbow connection	10 mm - 1/4"
11	2	59966	Cover	
12	1	1330040	Boom- and jib cylinder	




An Oshkosh Corporation Company

270K

45503050

Intern ref.: 1330110



Extension cylinder, I, C40-1200

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
	1	6893550	Seal kit	Pos. 2, 3, 4, 6, 7, 9, 10
1	1	1330111	Cylinder pipe	
2	1	20181	O-ring	OR 44,2 x 3
3	1	20973	Seal	SI/L 30/40 x 8
4	1	20974	Guide ring	PWR 30 x 36 x 10-A
5	1	1320142	Guide	
6	1	20972	Scraper	SDR 30 x 38 x 6 x 6,5
7	1	20971	Seal	MD 40/30 x 12,4
8	1	1320141	Piston	
9	2	20879	Back ring	11,3 x 2,4
10	1	20126	O-ring	OR 11,3 x 2,4
12	1	1320136	Piston rod	
11	1	1320143	Ring	
12	1	1330113	Piston rod	




An Oshkosh Corporation Company

270K

45503051

Intern ref.: 1320110



Extension cylinder, II, C40-1300

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
	1	6893550	Seal kit	Pos. 2, 3, 4, 6, 7, 9, 10
1	1	1320132	Cylinder pipe	
2	1	20181	O-ring	OR 44,2 x 3
3	1	20973	Seal	SI/L 30/40 x 8
4	1	20974	Guide ring	PWR 30 x 36 x 10-A
5	1	1320142	Guide	
6	1	20972	Scraper	SDR 30 x 38 x 6 x 6,5
7	1	20971	Seal	MD 40/30 x 12,4
8	1	1320141	Piston	
9	2	20879	Back ring	11,3 x 2,4
10	1	20126	O-ring	OR 11,3 x 2,4
11	1	1320143	Ring	
12	1	1320136	Piston rod	




An Oshkosh Corporation Company

270K

45503052

Intern ref.: 1320120



Extension cylinder, III, C40-1300

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
	1	6893560	Seal kit	Pos. 2, 3, 4, 6, 7,
1	1	1320132	Cylinder pipe	
2	1	20181	O-ring	OR 44,2 x 3
3	1	20976	Seal	SI/L 28/38 x 8
4	1	20977	Guide ring	RWR 28/34 x 10-A
5	1	1320149	Guide	
6	1	20975	Scraper	PWD 28/36 x 5 x 5,8
7	1	20971	Seal	MD 40/30 x 12,4
8	1	1320148	Piston	
9	1	1320145	Piston rod	




270K

45503100

An Oshkosh Corporation Company

Intern ref.: 1320070



Stabilizer cylinder, C50-335

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
	1	6893570	Seal kit	Pos. 3, 4, 5, 6, 8, 9
1	1	31318	Lubricator	1/8" RG
2	1	1320126	Cylinder pipe	
3	1	20967	Seal	SI/L 35/45 x 11
4	1	20969	Guide ring	RWR 34/41 x 13-A
5	1	20183	O-ring	OR 54,5 x 3
6	1	20882	Back ring	54,5 x 3
7	1	1320124	Guide	
8	1	20966	Scraper	SDR 35/42 x 6 x 6,5
9	1	20968	Seal	M 50/40 x 12,5
10	1	1320125	Piston	
11	1	1320121	Piston rod	




An Oshkosh Corporation Company

270K

45503101

Intern ref.: 1330190



Stabilizer cylinder with piloted check-valve

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified: 03.01.2012

Item no.	Qty.	Part no.	Description	Remarks
1	1	25810	Elbow connection	C40XS10 - 1/4
2	1	25733	Adaptor	F64XS 14/16 - 3/8" JIC
3	1	59077	Reducing nipple	1/4 BSP x 1/4 BSP
4	1	21102	Seal washer	ø14 x 18,7 x 1,5
5	1	59087	Piloted check-valve	
6	2	25197	Plug	VS-R-1/4 WD
7	1	25121	Connection	P-GEV 10 LR-WD
8	1	1320311	Pipe	
9	1	25123	Banjo connection	P-RSWV 10 LR
10	1	1320070	Stabilizer cylinder C50-335	




An Oshkosh Corporation Company

270K

45504010

Intern ref.: 1330060



☆ Loctite 243

7/26/2016

46

1 (2)

Stabilizer beam, short and long

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified: 14.10.2005

Item no.	Qty.	Part no.	Description	Remarks
1	1	1330061	Single extension, 155mm, long	Kranbrede 1700 og 2000
2	1	1320538	Single extension, 155mm, long	Kranbrede 2000
3	1	1330065	Single extension, 155mm, short	Kranbrede 1700
4	2	63414	Guide roller	
5	2	63416	Spacer	
6	4	1330069	Pin	
7	2	63691	Guide roller	
8	2	63415	Spacer	
9	2	1330068	Pin	
10	2	31134	Washer, stainless	
11	2	30110	Set screw, stainless	M6 x 10
12	2	30174	Set screw	M12 x 16
13	2	1320094	End plate	
14	4	32302	Face washer, stainless	6 mm
15	4	30112	Set screw, stainless	M6 x 16
16	2	1320092	Stop	
17	2	1330188	Guide	
18	2	31147	Washer, stainless	8 mm
19	2	30924	Screw	M8 x 12




An Oshkosh Corporation Company

270K

45504100

Intern ref.: 1320160



☆ Loctite 243

7/26/2016

48

1 (2)

Safety lock

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	30178	Set screw	M12 x 35
2	3	31131	Washer	12 mm
3	1	6323864	Spring guide	
4	1	33473	Spring	6179044
5	1	6323294	Hook	
6	1	6323914	Plate	
7	1	48406	Knob	-40 mm
8	1	31205	Retaining pin	ø5 x 16
9	1	1320223	Locking pin	
10	1	30860	Nut, stainless	M12
11	1	30890	Lock nut	M12




An Oshkosh Corporation Company

270K

45504101

Intern ref.: 1330510



Stab. safety lock with sensor

As from / To loader no.: 67 00 01/

Created: 18.03.2009

Modified: 07-08-2014

Item no.	Qty.	Part no.	Description	Remarks
1	1	1330072	Latch	
2	1	27273	Clip	
3	1	1320223	Locking pin	
4	1	30890	Lock nut	M12
5	1	6323914	Plate	
6	1	31205	Retaining pin	ø5 x 16
7	1	33473	Spring	6179044
8	1	6323864	Spring guide	
9	3	31131	Washer	12 mm
10	1	30178	Set screw	M12 x 35
11	1	30860	Nut, stainless	M12
12	1	48406	Knob	-40 mm




An Oshkosh Corporation Company

270K

45504150

Intern ref.: 1330180



Stabilizer lock

As from / To loader no.: 67 00 01/
Created: 03.02.2005
Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	1330205	Lock pin	
2	1	33367	Spring	6884924
3	1	1320221	Lever	
4	1	31586	Retaining pin, stainless	ø5 x 30
5	1	31318	Lubricator	1/8" RG




An Oshkosh Corporation Company

270K

45504200

Intern ref.: 1320180



☆ Loctite 243

7/26/2016

54

1 (2)

Lock bolt for stabilizer leg

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified: 28.11.2007

Item no.	Qty.	Part no.	Description	Remarks
1	1	1320225	Pin	
2	1	1320250	Wire, cpl.	
3	1	32302	Face washer, stainless	6 mm
4	1	30112	Set screw, stainless	M6 x 16
5		63440	Washer	




An Oshkosh Corporation Company

270K

45505010

Intern ref.: 59797



7/26/2016

56

1 (2)


Valve block SDM081

As from / To loader no.: 68 00 01 /


Created: 01.06.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
		59797	Valve block	
1	1	55231	Cover with spring kit	
2	1	55240	Main relief valve	
3	1	55233	Plug	
4	1	55241	Anitscock valve	200 Bar
5	1	55236	Anitscock valve	120 Bar
6	1	55238	O-ring	
7	1	55235	Bracket for lever	



DK: Indkøbsnr.
GB: Part no.
DE: Bestellnummer
FR: Référence
ES: Referencia



DK: Hydrocontrol batch nr.
GB: Hydrocontrol serial no.
DE: Hydrocontrol Seriennummer
FR: No. de serie Hydrocontrol
ES: Hydrocontrol matrícula

DK: Revision
GB: Revision
DE: Revision
FR: Révision
ES: Revisión

DK: For øvrige reservedele henvises til tegn. nr. 6650083
GB: With regard to other spare parts please see drawing no. 6650083
DE: Siehe Zeichnung Nr. 6650083 für Information über die übrigen Ersatzteile
FR: En ce qui concerne les autres pièces détachées veuillez consulter plan no. 6650083
ES: Véase dibujo número 6650083 por información sobre los demás recambios


**Hydrocontrol valve block M50-6
NEM radio remote control**

As from / To loader no.: 67 00 01 /

Created: 12.07.2006

Modified: 07.11.2006

Item no.	Qty.	Part no.	Description	Remarks
	1	55217	Control valve	
1	1	55348	Dump valve	12V
2	1	55347	Dump valve	26V
3	1	55346	Cartridge	
4	1	55344	Soleniod	12V
5	1	55345	Soleniod	26V



DK: For øvrige reservedele henvises til tegn. nr. 6650103

GB: With regard to other spare parts please see to drawing no. 6650103

DE: Siehe Zeichung Nr. 6650103 für information über die übrigen Ersatzteile

FR: En ce qui concerne les autres pièces détachées veuillez consulter plan no. 6650103

ES: Véase dibujo número 6650103 por información sobre los demás recambios

**Electro-hydraulic NEM-kit
NEM radio remote control**

As from / To loader no.: 67 00 01 /

Created: 12.07.2006

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1		55320	Cartridge	
2		55323	Solenoid	12V
3		55321	Solenoid	24V
4		55352	Electro-hydraulic NEM-kit	4x12V
5		55351	Electro-hydraulic NEM-kit	4x24V
6		55356	Electro-hydraulic NEM-kit	6x12V
7		55355	Electro-hydraulic NEM-kit	6x24V




270K

45505100

An Oshkosh Corporation Company

Intern ref.: 1330270



Valve bracket and dual control

As from / To loader no.: 67 00 01 / 67 01 56

Created: 01.06.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	18	31147	Washer, stainless	8 mm
2	3	30131	Set screw, stainless	M8 x 16
3	1	30132	Set screw, stainless	M8 x 20
4	3	30136	Steel bolt, stainless	M8 x 35
5	4	30886	Lock nut, stainless	M8
6	25	30856	Nut, stainless	M8
7	2	1330184	Clamp	
8	1	1320237	Pin, 6 sect.	
9	6	31274	Cotter bolt	ø6 x 30
10	12	31601	Split pin, stainless	ø1,6 x 20
11	6	63965	Hub with threaded bushing	
12	8	1330187	Control lever, short, straight	
13	12	59224	Knob for lever	
14	4	1330185	Control lever, short, straight	
15	6	1320238	Connecting rod	
16	6	31271	Cotter bolt	ø6 x 20
17	6	27800	Clevis	
18	1	1330182	Valve bracket	
19	1	1330183	Plate for valve bracket	




An Oshkosh Corporation Company

270K

45505100A

Intern ref.: 1330270



7/26/2016

64

1 (2)

Valve bracket and dual control

As from / To loader no.: 67 01 57 /

Created: 01.06.2005

Modified: 15.05.2006

Item no.	Qty.	Part no.	Description	Remarks
1	24	31147	Washer, stainless	8 mm
2	3	30131	Set screw, stainless	M8 x 16
3	1	30132	Set screw, stainless	M8 x 20
4	3	30136	Steel bolt, stainless	M8 x 35
5	4	30886	Lock nut, stainless	M8
6	13	30856	Nut, stainless	M8
7	1	1330184	Clamp	
8	1	1330272	Clamp	
9	1	1330273	Pin, 6 sect.	
10	4	1330187	Control lever, long, straight	
11	6	59224	Knob for lever	
12	2	1330185	Control lever, short, straight	
13	6	1330271	Connecting rod	
14	1	1330182	Valve bracket	
15	1	1330183	Plate for valve bracket	
18	6	63450	Adapter for dual controls	
19	2	63446	Lever for dual controls	
20	4	63445	Lever for dual controls	
21	6	63468	Split pin with spring lock	
22	6	31271	Cotter bolt	ø6 x 21
23	6	31601	Split pin, stainless	ø1,6 x 20




270K

45505110

An Oshkosh Corporation Company

Intern ref.: 1330280



Kit for valve bracket, NEM radio remote control

As from / To loader no.: 67 00 01 /

Created: 16.06.2006

Modified: 07.11.2006

Item no.	Qty.	Part no.	Description	Remarks
1	13	31147	Washer, stainless	8 mm
2	6	30886	Lock nut, stainless	M8
3	1	30133	Set screw, stainless	M8 x 22
4	4	30136	Steel bolt, stainless	M8 x 35
5	1	30143	Steel bolt, stainless	M8 x 80
6	1	30144	Steel bolt, stainless	M8 x 90
7	3	32222	Button head screw	M6 x 16
8	2	32458	Screw	M6 x 30
9	17	32302	Face washer, stainless	6 mm
10	6	30884	Lock nut, stainless	M6
11	2	30112	Set screw, stainless	M6 x 16
12	4	30113	Set screw, stainless	M6 x 20
13	8	30794	Screw	M4 x 16
14	8	30852	Nut, stainless	
15	12	31188	Washer, stainless	4 mm
16	5	31068	Clip	M6 0,5 - 4,0 mm.
17	2	64393	Bushing	
18	8	27275	Clip	
19	1	1330281	Valve bracket	
20	1	1330282	Bracket for radio remote ctrl	
21	1	1330283	Cover plate for valve bracket	
22	1	1330284	Fittings	
23	1	1330285	Plate for valve bracket	




An Oshkosh Corporation Company

270K

45505111

Intern ref.: 1330530



Kit for valve bracket, NEMRC

As from / To loader no.:67 00 01 /

Created: 04.06.2014

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	14	31147	Face washer, 8 mm	
2	6	32302	Face washer, stainless	6 mm
3	6	30886	Lock nut, stainless	M8
4	2	30113	Set screw, stainless	M6 x 20
5	2	30884	Lock nut, stainless	M6
6	1	30133	Set screw, stainless	
7	1	30132	Set screw, stainless	
8	4	30136	Steel bolt, stainless	M8 x 35
9	1	30143	Steel bolt, stainless	M8 x 80
10	1	30144	Steel bolt, stainless	M8 x 90
11	2	32458	Screw	M6 x 30
12	2	31068	Clip	M6 0,5 - 4,0 mm.
13	2	64393	Bushing	
14	1	1330288	Valve bracket	
15	1	1330289	Protective plate	
16	1	1330292	Bracket	
17	1	1330294	Fitting	Serie 270K
18	1	1330295	fitting	Serie 340K




An Oshkosh Corporation Company

270K

45505130

Intern ref.: 1330290



Dual control, NEM radio remote control

As from / To loader no.: 67 00 01 /

Created: 15.06.2006

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	2	1330185	Control lever, short, straight	
2	2	1330291	Connecting rod	
3	1	1330273	Pin, 6 sect.	
4	1	1330184	Clamp	
5	1	1330272	Clamp	
6	2	59224	Knob for lever	
7	2	63450	Adapter for dual controls	
8	2	63468	Split pin with spring lock	
9	2	31271	Cotter bolt	ø6 x 21
10	2	31601	Split pin, stainless	ø1,6 x 20
11	2	63446	Lever for dual controls	
12	1	33107	Circlip	19U
13	1	31132	Washer	18 mm
14	4	30886	Lock nut, stainless	M8
15	12	31147	Washer, stainless	8 mm
16	2	30131	Set screw, stainless	M8 x 16
17	6	30856	Nut, stainless	M8




270K

45505140

An Oshkosh Corporation Company

Intern ref.: 1330330



7/26/2016

72

1 (2)

Hydraulic system, pump and tank NEM radio remote control

As from / To loader no.: 67 00 01 /

Created: 21.06.2006

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	59329	Oil tank cpl. incl. filter	
2	1	0017300	Hose	3/8" x 850 V/O
3	1	25108	Connection	GES 12 L/R 1/2-WD
4	2	1330177	Fittings	
5	4	30132	Set screw, stainless	M8 x 20
6	4	30886	Lock nut, stainless	M8
7	4	31155	Spring washer	8 mm
8	4	31147	Washer, stainless	8 mm
9		58401	Return filter	
10		58404	Cover	
11		20235	O-ring	OR 50.8 X 3.53
12		58403	Air filter	
13		58402	Filter cartridge	




270K

45505150

An Oshkosh Corporation Company

Intern ref.: 1330170



7/26/2016

74

Pump circuit incl. tank

As from / To loader no.: 67 00 01 /

Created: 03.02.2005

Modified: 16.05.2006

Item no.	Qty.	Part no.	Description	Remarks
1	1	59329	Oil tank cpl. incl. filter	
2	1	25108	Connection	GES 12 L/R 1/2-WD
3	1	0017300	Hose	3/8" x 850 V/O
4	2	25127	Connection	GES 12 LR-WD
5	1	25225	Reducing connection	RED-R 3/8-WD/R 1/4
6	1	26103	Pressure-gauge connect.	
7	4	31155	Spring washer	8 mm
8	4	31147	Washer, stainless	8 mm
9	4	30132	Set screw, stainless	M8 x 20
10	2	1330177	Fittings	
11	4	30886	Lock nut, stainless	M8
12		58401	Return filter	
13		58404	Cover	
14		20235	O-ring	OR 50.8 X 3.53
15		58403	Air filter	
16		58402	Filter cartridge	




An Oshkosh Corporation Company

270K

45505190

Intern ref.: 1330470



7/26/2016

76

Hydraulic system, pump, NEM radio remote control

As from / To loader no.: 67 00 01 /

Created: 21.06.2006

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	25127	Connection	GES 12 LR-WD
2	2	25270	Connection	ELSD 12 L
3	2	26101	Reducing connection	REDSDN 12/8 L
4	1	25249	Connection	ELVD 8 L
5	1	26148	Connection	
6	1	1298134	Pipe	
7	2	25113	Banjo connection	RSWV 8 LR
8	2	25183	Coupling nut	M12 L
9	2	26180	Blanking plug	VSD 12 L
10	1	62536	Hose	1/4 x 350 L/L
11	1	55242	Checkvalve	120Y - 1/2", 6 bar
12	1	25141	Reducing connection	REDVDN 15/12 L




270K

45505200

An Oshkosh Corporation Company

Intern ref.: 1330240



Hydraulic system, slewing

As from / To loader no.: 67 00 01 /

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	58481	Doubel valve	
2	2	1330186	Pipe	
3	2	32302	Face washer, stainless	6 mm
4	2	30115	Steel bolt, stainless	M6 x 30
5	6	26898	Elbow connection	
6	2	60960	Washer	
7	2	25109	Connection	GES 8 LR-WD
8	2	59048	Rubber cover	
9	1	62498	Hose	1/4" x 370 M14 x 1,5 L/L
10	1	56321	Hose	1/4" x 300 M14 x 1,5 L/L




270K

45505220

Intern ref.: 1330450

An Oshkosh Corporation Company



Hydraulic system, slewing, (Load-holding valve), NEM radio remote control

45505220

As from / To loader no.: 67 00 01 /

Created: 14.06.2006

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	55222	Doubel valve	
2	2	1330186	Pipe	
3	2	32302	Face washer, stainless	6 mm
4	2	30115	Steel bolt, stainless	M6 x 30
5	6	26898	Elbow connection	8 mm - 1/4"
6	2	60960	Washer	
7	2	25244	Connection	GES 8 L/R 3/8-WD
8	2	59048	Rubber cover	
9	1	62498	Hose	1/4" x 370 M14 x 1,5 L/L
10	1	56321	Hose	1/4" x 300 M14 x 1,5 L/L




An Oshkosh Corporation Company

270K

45505230

Intern ref.: 1330460



**Hydraulic system, slewing,
NEM radio remote control**

As from / To loader no.: 67 00 01 /
Created: 14.06.2006
Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	1330461	Pipe	
2	1	1330462	Pipe	
3	1	30109	Set screw	M6 x 8
4	1	32302	Face washer, stainless	6 mm
5	1	31445	Suspension	
6	2	26898	Elbow connection	8 mm - 1/4"
7	2	60960	Washer	
8	2	25244	Connection	GES 8 L/R 3/8-WD




An Oshkosh Corporation Company

270K

45505360

Intern ref.: 1330210



7/26/2016

84

Fittings, ext. cyl., K1, K2

As from / To loader no.: 67 00 01/

Created: 01.09.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	2	26898	Elbow connection	8 mm - 1/4"
2	1	58482	Doubel valve	
3	2	59048	Rubber cover	
4	5	26896	Elbow connection	10 mm - 1/4"
5	3	25121	Connection	P-GEV 10 LR-WD
6	1	1330195	Pipe	
7	1	31500	Clip	
8	1	1320259	Pipe, K2 retract	
9	1	1330196	Pipe	
10	1	25120	Elbow connection	P-EWV 10 L-SV
11	2	1320171	Washer	
12	2	31051	Lock nut	M24 x 2
13	8	31765	Washer	ø10 x 16 x 0,2
14	8	31565	Washer, stainless	10 mm
15	8	30453	Screw	MC10 x 25
16	2	62493	Plastic hose	12 mm
17	1	1330198	Pipe	
18	2	27275	Clip	
19	1	64380	Cover for nut, black	




An Oshkosh Corporation Company

270K

45505362

Intern ref.: 1330220



7/26/2016

86

Fittings, ext. cyl. K3

As from / To loader no.: 67 00 01/

Created: 01.09.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	2	62493	Plastic hose	12 mm
2	1	1330201	Pipe	
3	1	25121	Connection	GEV 10 LR-WD
4	2	27275	Clip	
5	3	26896	Elbow connection	
6	1	1330199	Pipe	
7	1	1320171	Washer	
8	1	31051	Lock nut	M24 x 2
9	1	64380	Cover for nut	
10	4	31765	Washer	PS 10 x 16 x 0,2
11	4	31565	Washer, stainless	10 mm
12	4	30453	Screw	MC10 x 25




An Oshkosh Corporation Company

270K

45505450

Intern ref.: 1330260



Hydraulic system, stabilizers

As from / To loader no.: 67 00 01 /

Created: 01.08.2005

Modified: 16.06.2008

Item no.	Qty.	Part no.	Description	Remarks
1	2	30119	Steel pin, stainless	M6 x 50
2	3	31418	Clamp, double	2 x 12 mm
3	2	30884	Lock nut, stainless	M6
4	4	25109	Connection	GES 8 LR-WD
5	2	62485	Hose	
6	2	56507	Hose	1/4 x 1900 L/90
7	2	62540	Hose	1/4 x 1600 L/90
8	2	56283	Hose	1/4 x 2800 L/90
9	4	25244	Connection	GES 8 LR 3/8-WD




An Oshkosh Corporation Company

270K

45505600

Intern ref.: 1330340



Load indicator

As from / To loader no.: 67 00 01 /

Created: 01.08.2005

Modified: 29.05.2007

Item no.	Qty.	Part no.	Description	Remarks
1	1	62553	Hose	1/4 X 2000 L/L
2	2	26898	Elbow connection	8 mm - 1/4"
3	1	1330211	Housing + hose failure valve	
4	1	26104	Connection	EGESD 8 LR-WD
6	1	1282544	Rubber plug	
7	2	60931	Pressure gauge	
8	2	26170	Elbow connection	EWSD 8 L
9	2	26106	Connection	P-MAV 8 LR
10	1	62619	Hose	1/4 X 1500 L/L
11	1	25249	Connection	ELSD 8 L
12	1	26864	Elbow connection	ETXS 8 JIC
13	1	1330191	Fittings	
14	1	30112	Set screw, stainless	M6 x 16
15	1	1330204	Pipe	
16	1	30884	Lock nut, stainless	M6
17	1	31418	Clamp, double	2 x 12 mm
18	1	30120	Steel bolt, stainless	M6 x 60




An Oshkosh Corporation Company

270K

45505610

Intern ref.: 1330540



As from / To loader no.: 67 00 01 /

Created: 04.06.2014

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	62553	Hose	1/4 X 2000 L/L
2	2	26898	Elbow connection	8 mm - 1/4"
3	1	1330211	Housing + hose failure valve	
4	1	26104	Connection	EGESD 8 LR-WD
5	1	1282544	Rubber plug	
6	1	26106	Connection	P-MAV 8 LR
7	1	26864	Elbow connection	WSS 8L
8	1	1330191	Fittings	
9	1	30113	Set screw, stainless	M6 x 20
10	1	30884	Lock nut, stainless	M6
11	1	32302	Face washer, stainless	6 mm
13	1	1330288	Valve bracket	




An Oshkosh Corporation Company

270K

45505650

Intern ref.: 1330350



Emergency stop kit

As from / To loader no.: 67 00 01 /

Created: 01.06.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	2	28992	Emergency stop box	
2	2	27281	Terminal block	
3	4	30794	Screw	M4 x 16
4	2	59643	Bubble level	
5	1	61779	Seal kit	
6	1	59020	Magnetic cartridge	
7	1	61777	Solenoid	12V
8	1	61778	Solenoid	
9	1	27996	Lead-in	
10	4	30857	Lock nut	M4
11	4	31188	Washer, stainless	4 mm
12	2	28080	Nut	M12
13	2	28403	Sealing ring	
14	2	28123	Connection	PG 16
15	2	64507	Plastic plug	




270K

45505810

An Oshkosh Corporation Company

Intern ref.:1330250 + 1330300



7/26/2016

96

1 (2)

Hydraulic system, boom, jib and extension cylinders C=6 o'clock

As from / To loader no.: 67 00 01 /

Created: 01.08.2005

Modified: 29.05.2007

Item no.	Qty.	Part no.	Description	Remarks
1	2	64289	Nut	M6
2	2	32302	Face washer, stainless	6 mm
3	1	30854	Nut, stainless	M6
4	2	31847	Cover	
5	2	31846	Clamp	
6	1	1320229	Spacer	
7	2	27274	Clip	
8	10	31147	Washer, stainless	8 mm
9	6	25109	Connection	GES 8 LR-WD
10	2	27275	Clip	
11	4	30886	Lock nut, stainless	M8
12	6	30856	Nut, stainless	M8
13	1	30116	Steel bolt, stainless	M6 x 35
14	1	1320285	Clamp	
15	1	1320358	Hose bracket C=3, 6, 9 o'clock	
16	2	56284	Hose	1/4 x 4230 L/L
17	2	56283	Hose	1/4 x 2800 L/90
18	2	56282	Hose	1/4 x 2300 L/90
19	2	31419	Hose clip	
20	2	30497	Sockethead screw	MC10 x 35
21	1	62598	Protective cover	




270K

45505830

An Oshkosh Corporation Company

Intern ref.:1330250 + 1330320



Hydraulic system, boom, jib and extension cylinders C=12 o'clock

As from / To loader no.: 67 00 01 /

Created: 01.08.2005

Modified: 29.05.2007

Item no.	Qty.	Part no.	Description	Remarks
1	2	64289	Nut	M6
2	2	32302	Face washer, stainless	6 mm
3	1	30854	Nut, stainless	M6
4	2	31847	Cover	
5	2	31846	Clamp	
6	1	1320229	Spacer	
7	2	27274	Clip	
8	2	30134	Set screw, stainless	M8 x 25
9	2	31419	Hose clip	
10	10	30856	Nut, stainless	M8
11	6	25109	Connection	GES 8 LR-WD
12	2	27275	Clip	
13	1	1330166	Hose bracket	
14	2	31147	Washer, stainless	8 mm
15	1	30116	Steel bolt, stainless	M6 x 35
16	2	56284	Hose	1/4 x 4230 L/L
17	2	56283	Hose	1/4 x 2800 L/90
18	2	56282	Hose	1/4 x 2300 L/90
19	1	62598	Protective cover	




An Oshkosh Corporation Company

270K

45505840

Intern ref.: 1330310 + 1330500



7/26/2016

100

1 (2)

Hydraulic system, boom, jib and extension cylinders C=6 o'clock, NEM radio remote control

As from / To loader no.: 67 00 01 /

Created: 15.06.2006

Modified: 29.05.2007

Item no.	Qty.	Part no.	Description	Remarks
1	2	64289	Nut	M6
2	2	32302	Face washer, stainless	6 mm
3	1	30854	Nut, stainless	M6
4	2	31847	Cover	
5	2	31846	Clamp	
6	1	1320229	Spacer	
7	2	27274	Clip	
8	12	31147	Washer, stainless	8 mm
9	6	25244	Connection	GES 8 LR 3/8-WD
10	2	27275	Clip	
11	6	30886	Lock nut, stainless	M8
12	8	30856	Nut, stainless	M8
13	1	30116	Steel bolt, stainless	M6 x 35
14	2	30134	Set screw, stainless	M8 x 25
15	1	1320285	Clamp	
16	1	1330286	Hose bracket NEMRC, C=6o'clock	
17	1	1330287	Clamp, hose bracket C=6o'clock	
18	2	56284	Hose	1/4 x 4230 L/L
19	2	56283	Hose	1/4 x 2800 L/90
20	2	56282	Hose	1/4 x 2300 L/90
21	1	31419	Hose clip	
22	1	62598	Protective cover	




An Oshkosh Corporation Company

270K

45505850

Intern ref.: 1330310 + 1330320




Hydraulic system, boom, jib and extension cylinders C=12 o'clock, NEM radio remote control

As from / To loader no.: 67 00 01 /

Created: 15.06.2006

Modified: 29.05.2007

Item no.	Qty.	Part no.	Description	Remarks
1	2	64289	Nut	M6
2	2	32302	Face washer, stainless	6 mm
3	1	30854	Nut, stainless	M6
4	2	31847	Cover	
5	2	31846	Clamp	
6	1	1320229	Spacer	
7	2	27274	Clip	
8	2	30134	Set screw, stainless	M8 x 25
9	2	31419	Hose clip	
10	10	30856	Nut, stainless	M8
11	6	25244	Connection	GES 8 LR 3/8-WD
12	2	27275	Clip	
13	1	1330166	Hose bracket	
14	2	31147	Washer, stainless	8 mm
15	1	30116	Steel bolt, stainless	M6 x 35
16	2	56284	Hose	1/4 x 4230 L/L
17	2	56283	Hose	1/4 x 2800 L/90
18	2	56282	Hose	1/4 x 2300 L/90
19	1	62598	Protective cover	



Labels

As from / To loader no.: 67 00 01/

Created: 03.02.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	2	64800	HMF/Handy 270 label	
2	1	66606	Lubrication label	
3	1	64803	Type plate, CE	
4	1	64703	Type plate	
5		66604	Lifting capacity diagram, 270K2	
6	1	66486	Label	
7		66605	Lifting capacity diagram, 270K3	
8		66607	Label - slewing	
9		66608	Label - stabilizer right	
10		66609	Label - rotator	
10	1	65507	Label	6689124
11		65141	Label, electric wire	
12	1	64702	Label for slewing	
13	2	66485	Label - pressure on stabilizer	
14		65631	CE-label	
15	4	64707	Label	
16	1	64909	Set of labels - Max./Min.	6683874
17		64618	Label for pressure gauge	6685054
18		65796	Metallic plate - manual ext.	
19		66467	Label - "WARNING"	
20		66468	Label - "SUSPENDED LOAD"	
21		66469	Label - "Danger - squeezing"	
22	1	65770	Label-NO high pressure rinsing	
23	3	65833	Stowing arrow	6691554
24	2	65250	Safety sticker	230 mm




An Oshkosh Corporation Company

270K

45506100

Intern ref.: 1320380



Mounting fittings

As from / To loader no.: 67 00 01/
Created: 03.02.2005
Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	12	30894	Lock nut	M20
2	12	6657044	Washer	
3	6	66044	Pin	M20 x 700
4	3	1234544	U-section	
5	3	6659914	U-section	
6	3	1234534	Clamp	




270K

45507020

An Oshkosh Corporation Company

Intern ref.: 1320780



Valve bracket + dual ctrl stab

As from / To loader no.: 67 00 01 /

Created: 01.08.2005

Modified: 15.05.2006

Item no.	Qty.	Part no.	Description	Remarks
1	2	59224	Knob for lever	
2	2	1330187	Control lever, long, straight	
3	4	30856	Nut, stainless	
4	11	31147	Washer, stainless	8 mm
5	2	30134	Set screw, stainless	M8 x 25
6	1	1330207	Valve bracket, 2 sections	
7	5	30131	Set screw, stainless	M8 x 16
8	2	30886	Lock nut, stainless	M8
9	1	1330235	Pin	
10	2	63468	Split pin with spring lock	
11	2	63445	Lever for dual controls	
12	1	33227	Back ring	SS 20 x 28 x 2
13	1	33107	Circlip	19U
14	2	1320367	Connecting rod	




An Oshkosh Corporation Company

270K

45507030

Intern ref.: 1320790



7/26/2016

110

1 (2)

Series connection

As from / To loader no.: 67 00 01 /

Created: 01.08.2005

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	2	0017710	Hose 3/8" x 350 mm v/o	3/8 x 350 v/o
2	3	25127	Connection	GES 12 LR-WD
3	1	55230	Series nipple	
4	1	26897	Elbow connection	
5	1	25270	Connection	ELSD 12 L




An Oshkosh Corporation Company

270K

45507040

Intern ref.: 1330440



7/26/2016

**Series connection,
NEM radio remote control**

As from / To loader no.: 67 00 01 /

Created: 21.06.2006

Modified:

Item no.	Qty.	Part no.	Description	Remarks
1	1	30417	Pipe plug	
2	1	25108	Connection	GES 12 L/R 1/2-WD
3	1	25242	Elbow connection	EWSD 12 L
4	2	25270	Connection	ELSD 12 L
5	2	0017710	Hose	3/8 x 350 v/o
6	2	25127	Connection	GES 12 LR-WD




An Oshkosh Corporation Company

270K

45507500

Intern ref.: 1320820



High pressure filter

As from / To loader no.: 67 00 01 /

Created: 01.06.2005

Modified: 01.03.2010

Item no.	Qty.	Part no.	Description	Remarks
1	1	0015280	Hose	
2	2	31517	Set screw, stainless	M10 x 20
3	2	31147	Washer, stainless	
4	1	1320371	Bracket, high pressure filter	
5	2	25108	Connection	GES 12 LR 1/2-WD
6	1	49411	High pressure filter	
7		49412	Filter cartridge	
8		49417	Seal kit	




270K

45507510

An Oshkosh Corporation Company

Intern ref.: 1330420



7/26/2016

116

1 (2)

Kit for extra valves

As from / To loader no.:67 00 01 /

Created: 01.08.2005

Modified: 16.06.2006

Item no.	Qty.	Part no.	Description	Remarks
1	4	25109	Connection	GES 8 LR-WD
2	4	56284	Hose	1/4 x 4230 L/L
3	4	30118	Steel bolt, stainless	M6 x 45
4	12	32302	Face washer, stainless	6 mm
5	1	1320302	Shield	
6	4	31846	Clamp	
7	2	31847	Cover	
8	4	25246	Double connection	GV 8 L
9	4	62619	Hose	1/4 x 1500 L/L
10	8	30884	Lock nut, stainless	M6
11	1	1330241	Hose guide, upper	
12	3	1320301	Clamp	
13	6	30115	Steel bolt, stainless	M6 x 30
14	4	30156	Set screw, stainless	M10 x 30
15	8	31565	Washer, stainless	10 mm
16	2	60699	Dust cap. F.	1/4"
17	2	60698	Dust cap. M.	1/4"
18	2	60696	Quick-release coupling F	1/4"
19	2	60697	Quick-release coupling M	1/4"
20	4	25121	Connection	GEV 10 LR-WD
21	2	56278	Double hose	1/4 x 3000 S/O
22	4	30888	Lock nut	M10
23	2	1320296	Fitting, jib	
24	4	31147	Washer, stainless	8 mm
25	4	30130	Set screw, stainless	M8 x 12
26	1	30116	Steel bolt, stainless	M6 x 35
27	1	30113	Set screw, stainless	M6 x 20
28	4	25272	Reducing connection	REDV 10/8 L
29	4	25182	Coupling nut	M10 L
30	4	26116	Profile ring	R 10 L/S
31	1	24116	Fitting	
32	1	1330243	Hose guide, lower	
33	3	1320299	Clamp	
34	4	25244	Connection	GES 8 L/R 3/8-WD




455 20 040

270K

An Oshkosh Corporation Company

Internal ref. 70 08 780



BEHEW

455 20 040

From loader 670001

To loader

Created 05-08-2014

Modified

Pos	Qty.	Part no.	Description	Remarks
1	1	1330293		
2	6	30361	Screw, stainless	3,0 x 8
3	1	29347	RCL 5300 indicator panel	
4	1	29304	Bottom f. RCL-box incl. hinge	
5	1	29307	Cable lead-in	
6	4	30340	Screw, stainless	6,0 x 25
7	4	30347	Screw, stainless	4,0 x 25
8	4	30346	Screw, stainless	4,0 x 20
9	2	31835	Bracket	
10	4	31754	Washer	8 mm
11	4	30886	Lock nut, stainless	M8
12	1	29473	EJB5380	
13	1	29369	Fuse 2A MINI	
14	2	27822	Fuse 10A MINI	
15	1	29370	Fuse 15A MINI	
16	2	29238	Proximity switch f. stabilizer	
17	1	28980	Proximity switch	
18	1	28077	Cable with plug	




An Oshkosh Corporation Company

270K

455 20 050

70 08 810
Internal ref. 70 08 800



455 20 050

From loader 670001

To loader

Created 04-08-2014

Modified

Alarm flash

Pos	Qty.	Part no.	Description	Remarks
		7008800		
		7008810		
1	2	29264	Cable with socket, 5 m	
2	2	29433	Alarm flash, yellow 24V, 19 cm	70 08 810
3	2	29454	Alarm flash, yellow 12V, 19 cm	70 08 800
4	4	27275	Cable tie, black, 7.6x385mm	





455 20 060


270K

An Oshkosh Corporation Company

Internal ref. 70 08 820



340K



270K

Spotlight

455 20 060

From loader 670001

To loader

Created 11-03-2015

Modified

Pos	Qty.	Part no.	Description	Remarks
1	1	1330093	Fittings	
2	1	29400	Spotlight LED 27 W	
3	1	29462	Cable, LED spotlight, 9.0m	




455 20 070

270K

An Oshkosh Corporation Company

Internal ref. 70 08 830



455 20 070

From loader 670001

To loader

Created 11-03-2015

Modified

Spotlight, radio remote controlled.

Pos	Qty.	Part no.	Description	Remarks
1	1	1330093	Fittings	
2	1	29400	Spotlight LED 27 W	
3	1	28249	Cable 2 x 0.75	2,0 m
4	1	29462	Cable, LED spotlight, 9.0m	
5	1	27340	Relay, 12 V	
6	1	27342	Relay, 24V	




455 22 010

270K

An Oshkosh Corporation Company

Internal ref. 70 08 770



Basic electronic parts, NEMRC with CE

Pos	Qty.	Part no.	Description	Remarks
1	2	29304	Bottom f. RCL-box incl. hinge	
2	1	29347	RCL 5300 indicator panel	
3	1	29301	Front complete, RCL 5300	
4	3	29316	Pin	
5	1	29315	Plug, 3-polar for RCL 53XX	
6	1	29319	Plug, 8-polar for RCL 53XX	
7	1	29321	Plug, 10-polar for RCL 53XX	
8	1	29340	CAN termination/RCL53xx	
9	1	29341	CAN termination FJC	
10	8	30340	Screw, stainless	6,0 x 25
11	8	30347	Screw, stainless	4,0 x 25
12	8	30346	Screw, stainless	4,0 x 20
13	2	29307	Cable lead-in	
14	1	29473	EJB5380	
15	1	29369	Fuse 2A MINI	
16	2	27822	Fuse 10A MINI	
17	1	29370	Fuse 15A MINI	
18	1	7008870	Relay, 12 V	
19	1	27340	Relay, 12 V	
20	1	28989	Horn 12V.-4,5 amp	
21	1	7008880	Relay, 24 V	
22	1	27342	Relay, 24V	
23	1	28971	Horn, 24 V, 2.5 Amp.	
24	8	30361	Screw, stainless	3,0 x 8
25	1	1330293		
26	2	31835	Bracket	635K
27	4	31754	Washer	8 mm
28	4	30886	Lock nut, stainless	M8
29	1	56713	Cable Scanreco 49041 G2	
30	1	28265	Cable, dump valve, 1.35 m	
31	1	28278	Cable 4 x 2.5	2,0 m
32	1	28850	Pressure transducer	
33	1	29224	Cable with socket, 5 m	
34	1	28013	Guide rail	120 mm.
35	2	28012	End angle	
36	3	28010	Terminal	
37	1	28019	Labels nos. 1-10	
38	1	28965	Dekafix labels 21-30	
39	1	28011	End plate	
40	1	27120	Cable	0,3 m
41	1	27202	Cable	0,3 m




455 22 010

270K

An Oshkosh Corporation Company

Internal ref. 70 08 770



455 22 010

From loader 670001

To loader

Created 04-08-2014

Modified

Basic electronic parts, NEMRC with CE

Pos	Qty.	Part no.	Description	Remarks
42	1	27204	Wire, 1 x1.5mm2	0,3 m



An Oshkosh Corporation Company


455 22 020

270K

70 08 860

70 08 850

Internal ref. 70 08 760



Basic electronic parts, NEMRC without CE

Pos	Qty.	Part no.	Description	Remarks
		7008760		
		7008850		
		7008860		
1	1	29304	Bottom f. RCL-box incl. hinge	
2	1	29347	RCL 5300 indicator panel	
3	4	30347	Screw, stainless	4,0 x 25
4	1	29307	Cable lead-in	
5	4	30346	Screw, stainless	4,0 x 20
6	1	29473	EJB5380	
7	1	29369	Fuse 2A MINI	
8	2	27822	Fuse 10A MINI	
9	1	29370	Fuse 15A MINI	
10	1	7008860	Relay, 24 V	
11	1	27342	Relay, 24V	
12	1	7008850	Relay, 12 V	
13	1	27340	Relay, 12 V	
14	6	30361	Screw, stainless	3,0 x 8
15	1	1330293		
16	1	28249	Cable 2 x 0.75	3,0 m
17	3	56712		
18	2	31835	Bracket	635K
19	1	28992	Emergency stop box	
20	1	28081	Plastic nut	PG13,5
21	2	30487	Sockethead screw	MC4 x 16
22	1	28246	Bushing	
23	1	27866	Socket	
24	2	31188	Washer, stainless	4 mm
25	2	30857	Lock nut	M4
26	4	30340	Screw, stainless	6,0 x 25
27	4	31754	Washer	8 mm
28	4	30886	Lock nut, stainless	M8