



IOWA MOLD TOOLING CO., INC.

P.O. Box 189
Garner, IA 50438
Tel: 641.923.3711
Fax: 641.923.2424
www.imt.com

Manual # 99904655

Dominator Contractor Series Manual Supplement

Revised 01-11-2022

Copyright © 2022 Iowa Mold Tooling Co., Inc.
All rights reserved

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior written permission of Iowa Mold Tooling Co., Inc.

Iowa Mold Tooling Co., Inc. is an Oshkosh Corporation Company




Table of Contents

Introduction	1
DOMCS - Recommended Spare Parts	3
Chassis Installation	5
DOM1 On Chevy/IH CV Chassis (99906409).....	6
2019 Chevy / IH CV Chassis Installation (99906409).....	10
2019 Chevy 6500 Chassis Installation (99906461)	12
Install DOM Ford 11' 19.5K 2017 (99906096).....	14
DOMCS - Ford-2017 11' 19.5K Installation (99906096)	16
Ford Fuel Tank Installation (99906460)	18
2008 Ford / Ram, Chassis Installation (99904280).....	20
DOMCS - Ford-2017 Def Fill Installation (99906093).....	22
DOMCS - Ford-2017 11' 18.0K Installation (99906095)	24
DOMCS - Ford-2017 9' Installation (99906098).....	26
DOMCS - 2017-Ford, Air Tank Installation (99906094)	28
2019 Ram Underhood Installation (99906463).....	30
Compartments	33
DOMCS - Shelf Installation (99906228).....	34
DOMCS - Installation, LH Divider with Shelf (99905256)	36
DOMCS - Hydraulic Crimping Option, Low Profile (99905019)	38
Doors	41
DOMCS - 2018 Door Assembly (99905142).....	42
Master Locks	45
DOMCS - Master Lock System (99906150)	46
DOMCS - Master Lock Kits.....	50
Assemblies & Installations	51
DOMCS - 3-Point Access (99906163)	52
DOMCS - System Schematic, Air / Lube System (99903268)	54
FRL-.50 Hose Reel DOMCS (Parker P32 - 51744236)	56
DOMCS - Moisture Separator / Regulator / Oiler Assembly (51719866).....	58
DOMCS - Hinged Load Bed Cover (99905169).....	60
DOMCS - Lube Fill Modification, 45-Gallon Poly Tank (99905162)	64
DOMCS - Poly Tank Fence (99905442)	68
DOMCS - Poly Tank (99905177)	70
DOMCS - Installation (Ingersoll-Rand Compressor) (99904672)	72
DOMCS - Installation, Load Gate (99904657).....	74
DOMCS - Tailgate Kit (51718801)	76
DOMCS - Rock Guard, Wheel Chocks & Vise (99904659)	78
DOMCS - Crane Accessory Kit (99904656).....	80
DOMCS - Rollout Tray Assembly (51713998)	82
DOMCS - Removable Gate (51712986)	83
DOMCS - Air Tank, Top Deck, Installation (99906107)	86
Air Tank Kit-15gal Dual (30G) Side Mount (51709693).....	88
Regulator Ports - FLR DOM P32 (51727824, Parker)	90
DOMCS - Oil Pump (70733533)	92
DOMCS - Grease Pump Assembly (70733534)	95
DOMCS - Salvage Pump Assembly (70733535)	98

DOMCS - Hose Reel Parts	101
DOMCS Installation - Jump Start - Rear (99906393)	102
DOMCS - Hydraulic Crimping Option (99904692)	104
DOMCS STD Step UR Assembly WO-CRN (99906422).....	106
DOMCS 11' W-UR (99906423)	118
Tailgate & Bumpers	131
Tailgate Assembly - 10" (51718801)	132
Bumper Hitch & Workbench Options	134
Boom Support	137
Boom Support Adjustable (99905641).....	138
Boom Support Adjustable (99905157).....	139
Electrical & Lighting	141
DOMCS - Light Bar (52722372).....	142
DOMCS - Light Bar (52722120).....	143
DOMCS - 47" Light Bar (99905216)	144
DOMCS - 52" Light Bar (77441474)	145
DOMCS - Harness, 11' Frt Jumper LED (77441618).....	146
DOMCS - Strobe Light Bar (77441510).....	147
DOMCS - Flood Light Installation (99906020).....	148
DOMCS - Light Kit Installation (99905850).....	150
DOMCS - Installation - Jump Start, Rear 99906393.....	154
DOMCS - Protective Sleeve Installation (70034573).....	156
General Information	157
Back-Up Camera Bracket	158
DOMCS - Decal Placement Kit (51716597).....	162
DOMCS - Rock Guards (99906298).....	163
DOMCS - Turntable Bearing Thread Tightening Sequence	165
DOMCS - Thread Torque Chart	166
DOMCS - Thread Torque Chart (Metric)	167

This page left intentionally blank

Section - 1

Introduction

Introduction

GENERAL

This manual is a supplement which includes systems information for fluid and air systems used with the Dominator DSC20 body, manual part number, 99904090. Although the DSC20 manual includes body and compartment parts and options, this manual primarily includes systems, pumps, and lighting information for assemblies used for the contractor market.


For equipment such as cranes, compressors, and winches, refer to the appropriate service manual.

BODY IDENTIFICATION

Every IMT body has an identification placard. This placard is attached in the upper left hand corner of the left vertical 1 compartment.

When ordering parts, communicating warranty information, or referring to the unit in correspondence, always include the serial number and model numbers. Address all inquiries to your authorized IMT distributor or to:

IOWA MOLD TOOLING CO., INC.
Box 189, Garner, IA 50438-0189
Telephone: 641-923-0189
Technical Support Fax: 641-923-2424



PARTS IDENTIFICATION

To insure proper replacement parts are received, specify the complete number/letter sequence for any part requested. The parts sections of this manual can assist you in determining the correct part number.

ORDERING REPAIR PARTS

When ordering replacement parts:

1. Give the model number of the unit.
2. Give the serial number of the unit.
3. Specify the complete part number. When ordering cylinder parts, or one of the main weldments, always give the stamped part number.
4. Give a complete description of the part.
5. Specify the quantity required.
6. Fill in your serial number to assist in future replacement parts ordering

SERIAL NUMBER:


DOMCS - Recommended Spare Parts

PART NO.	DESCRIPTION
SHELVING (RIGHT REAR FOR CONTRACTOR SERIES ONLY)	
51720143	SHELF KIT 1.50 RR
AIR SYSTEM	
70734569	AIR COMPRESSOR (INGERSOLL RAND)
51744236	FILTER-LUBRICATOR-REGULATOR (FOR 1/2" HOSE REEL)
70733526	HOSE REEL-AIR 3/8" x 35'
72532021	QUICK DISCONNECT COUPLER
72532038	QUICK DISCONNECT NIPPLE
70734581	AIR COMPRESSOR (MI-T-M)
51744236	FILTER-LUBRICATOR-REGULATOR (FOR 1/2" HOSE REEL)
70733526	HOSE REEL-AIR 3/8" x 35'
72532021	QUICK DISCONNECT COUPLER
72532038	QUICK DISCONNECT NIPPLE
	REPLACEMENT AIR FILTER
OIL SYSTEM	
52719761	2 SECTION TANK (26G OIL / 26G OIL)
52722116	TANK- 25 GA. LUBE 32H
70732184	OIL FILL NECK ASSEMBLY W/CAP
70733533	OIL PUMP (AIR OPERATED) (73734196 REPAIR KIT FOR 70733533)
70733524	REEL-OIL .38 X 30'
73052119	OIL NOZZLE W/METER
70143289	OIL NOZZLE NON-METERED
FUEL SYSTEM	
52722116	TANK- 25 GAL LUBE 32H
70732184	OIL FILL NECK ASSEMBLY W/CAP
51721588	PUMP ASSEMBLY - .75" AIR DIAPHRAGM
70732777	SALV REEL .75 X 35'
51712746	NOZZLE-FUEL 1" DIESEL W/SWIVEL
ANTIFREEZE / WATER SYSTEM	
52722117	TANK- 25 GAL LUBE 32H STAINLESS STEEL
70732184	OIL FILL NECK ASSEMBLY W/CAP
51721588	PUMP ASSEMBLY - .75" AIR DIAPHRAGM
70733524	REEL-OIL .38 X 30'
70143289	OIL NOZZLE NON-METERED
GREASE SYSTEM	
70733534	GREASE PUMP PACKAGE (73734196 REPAIR KIT FOR OIL PUMP 73734201)
70733570	GREASE SWIVEL
70733525	GREASE REEL .38 X 25'

OXYGEN / ACETYLENE SYSTEM	
70733522	OXY/ACT REEL
70733539	OXY/ACT TORCH KIT
51716581	OXY/ACT TWIN HOSE (6' LONG)
SALVAGE SYSTEM	
51716551	PUMP ASM-SALVAGE .50" AIR DIAPHRAGM
51721588	PUMP ASM ANTI / FREEZE .75" AIR DIAPHRAGM
70733523	SALV REEL .75 X 25'
70732777	SALV REEL .75 X 35'
70732184	OIL FILL NECK ASSEMBLY W/CAP
WELDER SYSTEM	
70733540	WELDER LEADS
ELECTRICAL OPTIONS	
70734454	STARTER PAK-LNB LIGHTNING IN A BOX- 35ft
77441316	AMBER STROBE LIGHT BAR
77441295	BACKUP SENSOR SYSTEM W-ALARM
51719520	JUMP START BOOSTER PLUG-FRONT BUMPER
51722370	JUMP START BOOSTER PLUG-REAR OF BODY
51721137	BOOSTER CABLES-15ft
51719384	BOOSTER CABLES-50ft
MISCELLANEOUS	
70733536	VISE-COMBINATION 41/2"
51710607	KIT-FIRE EXTINGUISHER 20#


Section - 2

Chassis Installation


DOM1 On Chevy/IH CV Chassis (99906409)

99906409 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1	72063119	12WASHER .62 FLAT ASTM F436	24
2	52727583	BRACKET-BODY FRT DOM1 84CA CHEVY/IH CV	2
3	72060151	CAP SCR .62-11X 2.00 HH GR8 Z	13
4	72601859	NUT .62-11 HEX GR8 YZ NYLOCK24	12
REV. D CN1007-1			

99906409-CONTINUED**MIDSHIP FUEL TANK MOUNT**


1. IF MOUNTING ON A CHASSIS EQUIPPED WITH A MIDSHIP MOUNTED FUEL TANK THE CUTOUTS SHOWN ABOVE MUST BE MADE TO THE LH MOUNTING BRACKET TO CLEAR THE CHASSIS FUEL EQUIPMENT.
2. THE (2) PRIMARY MOUNTING LOCATIONS MUST BE USED ALONG WITH (2) OF THE 4 SECONDARY MOUNTING LOCATIONS.

99906409 - CONTINUED

This page left intentionally blank

2019 Chevy / IH CV Chassis Installation (99906409)

NOTE: ZIP TIE FUEL LINES UNDER THE WELDED ANGLE ON LEFT SIDE OF FLOOR TUBE.




99906409 COMPLETE PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	72063119	WASHER .62 FLAT ASTM F436	24
2.	52727583	BRACKET-BODY FRT DOM1 84CA CHEVY/IH CV	2
3.	72060151	CAP SCR .62-11X 2.00 HH GR8 Z	13
4.	72601859	NUT .62-11 HEX GR8 YZ NYLOCK	12
REV. B CN1007			

2019 Chevy 6500 Chassis Installation (99906461)

NOTE: ZIPTIE FUEL LINES UNDER THE WELDED ANGLE ON LEFT SIDE OF FLOOR TUBE.




99906461 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY
1.	52727583	BRACKET-BODY FRT DOM1 84CA CHEVY/IH CV	2
2.	60146255	PLATE-.44X 2.50X 6.00	2
3.	72060151	CAP SCR .62-11X 2.00 HH GR8 Z	16
4.	72063119	WASHER .62 FLAT ASTM F436	32
5.	72601859	NUT .62-11 HEX GR8 YZ NYLOCK	16
REV B CN1007			


NOTES:

1. Install spacer 60146255 on both sides to hold position of crossmember. See detail C.
2. Remove existing hardware securing the rear crossmember.
3. Drill specified holes and install body on chassis with new hardware.
4. Torque all bolts to 110-120 ft lbs.
5. Remove spacers after body install.

Install DOM Ford 11' 19.5K 2017 (99906096)


99906096 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	52726969	BRACKET-BODY FRT DOM1 84CA 19000 GVW	2
2.	60122777	SHIM-BODY MTG REAR DOM/PRED F550 19000 G	4
3.	72060151	CAP SCR .62-11X 2.00 HH GR8 Z	10
4.	72063119	WASHER .62 FLAT ASTM F436	24
5.	72063002	WASHER .31 FLAT	26
6.	72601859	NUT .62-11 HEX GR8 YZ NYLOCK	12
7.	60131361	BRACKET-MUD FLAP DOM1 FORD 6.4L	2
8.	60131565	BRACKET-MUD FLAP DOM1 SIDE PROTECTOR	2
9.	60120705	MTG BRKT-WIRE HARNESS	2
10.	72060026	CAP SCR .31-18X 1.25 HH GR5 Z	18
11.	76392598	WASHER-BONDED .31 PLTD	10
12.	72062109	NUT .31-18 HEX NYLOCK	18
13.	72063078	WASHER .31X1.50 OD ZINC	8
14.	76393799	MUD FLAP W/IMT LOGO 16H X 24W	2
15.	72601482	CAP SCR .62-11X 2.50 HH GR8 Z	2
16.	60144644	SPACER-WASHER 2017 FORD	4
17.	60133028	BRKT- ZIP TIE P-MOUNT BASE	REF
REV. B CN949			

DOMCS - Ford-2017 11' 19.5K Installation (99906096)

99906096 PARTS LIST


ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	52726969	BRACKET-BODY FRT DOM1 84CA 19000 GVW	2
2.	60122777	SHIM-BODY MTG REAR DOM/PRED F550 19000 G	4
3.	72060151	CAP SCR .62-11X 2.00 HH GR8 Z	10
4.	72063119	WASHER .62 FLAT ASTM F436	24
5.	72063002	WASHER .31 FLAT	26
6.	72601859	NUT .62-11 HEX GR8 YZ NYLOCK	12
7.	60131361	BRACKET-MUD FLAP DOM1 FORD 6.4L	2
8.	60131565	BRACKET-MUD FLAP DOM1 SIDE PROTECTOR	2
9.	60120705	MTG BRKT-WIRE HARNESS	2
10.	72060026	CAP SCR .31-18X 1.25 HH GR5 Z	18
11.	76392598	WASHER-BONDED .31 PLTD	10
12.	72062109	NUT .31-18 HEX NYLOCK	18
13.	72063078	WASHER .31X1.50 OD ZINC	8
14.	76393799	MUD FLAP W/IMT LOGO 16H X 24W	2
15.	72601482	CAP SCR .62-11X 2.50 HH GR8 Z	2
16.	60144644	SPACER-WASHER 2017 FORD	4
REV. A			

Ford Fuel Tank Installation (99906460)

This page left intentionally blank


2008 Ford / Ram, Chassis Installation (99904280)

NOTE: ZIPTIE FUEL LINES UNDER THE WELDED ANGLE ON LEFT SIDE OF FLOOR TUBE.




99904280 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY
1.	60131361	BRACKET-MUD FLAP DOM1 FORD 6.4L	2
2.	60131565	BRACKET-MUD FLAP DOM1 SIDE PROTECTOR	2
3.	76393799	MUD FLAP W/IMT LOGO 16H X 24W	2
4.	60120705	MTG BRKT-WIRE HARNESS	2
5.	72060026	CAP SCR .31-18X 1.25 HH GR5 Z	28
6.	72063078	WASHER .31X1.50 OD ZINC	8
7.	72063002	WASHER .31 FLAT	42
8.	72062109	NUT .31-18 HEX NYLOCK	28
9.	52714905	BRACKET-BODY FRT DOM1 9' BODY	2-AR
10.	52714843	BRACKET-BODY FRT DOM1 11' BODY SNGL WALL FRAME	2-AR
11.	52716274	BRACKET-BODY FRT DOM1 84CA 19000 GVW	2-AR
12.	60122777	SHIM-BODY MTG REAR DOM/PRED F550 19000 G	2-AR
13.	72060151	CAP SCR .62-11X 2.00 HH GR8 Z	12
14.	72063119	WASHER .62 FLAT ASTM F436	24
15.	72601859	NUT .62-11 HEX GR8 YZ NYLOCK	12
16.	76392598	WASHER-BONDED .31 PLTD	18
17.	71412663	EXH CONNECTOR-4.00ID ELBOW (6.4)	2-AR
18.	52721430	BRACKET-BODY FRONT DOM 84CA DODGE 08	2-AR
REV. D CN949			


DOMCS - Ford-2017 Def Fill Installation (99906093)

CAUTION:
ROUTE OF DEF FILL HOSE MUST MAINTAIN A CONTINUOUS
DOWNWARD PATH TO THE DEF TANK INLET. DEF HOSE
CANNOT ALLOW FLUID TO COLLECT INSIDE HOSE.




99906093 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	70034567	ELBOW-BARB/90/BARB 1.00 .75 POLY	1
2.	72066000	CLAMP-HOSE .50-1.25 SAE #12	3
3.	72066003	CLAMP-HOSE .44-1.00 SAE #8	4
4.	70034447	TIES-PLASTIC .25W 11.38L BLACK	3
5.	72066587	CLAMP-LOOP 3 TUBES CUSHIONED	1
6.	72063001	WASHER .25 FLAT	1
7.	72060002	CAP SCR .25-20X .75 HH GR5 Z	1
8.	76392820	WASHER-BONDED .25 PLTD	1
9.	72062104	NUT .25-20 HEX NYLOCK	1
10.	51722206	COVER KIT-FUEL HOLE DOMINATOR DEF TANK	1
11.	70398968	DECAL-DIESEL EXHAUST FLUID (DEF)	1
12.	70034569	NIPPLE-BARB NYL 1.00 .75 STRAIT	1
13.	70034521	NIPPLE-BARB NYL .38/.50 STRAIT	2
REV. A			

DOMCS - Ford-2017 11' 18.0K Installation (99906095)


99906095 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	52726969	BRACKET-BODY FRT DOM1 84CA 19000 GVW	2
2.	60122777	SHIM-BODY MTG REAR DOM/PRED F550 19000 G	4
3.	72060151	CAP SCR .62-11X 2.00 HH GR8 Z	10
4.	72063119	WASHER .62 FLAT ASTM F436	24
5.	72063002	WASHER .31 FLAT	26
6.	72601859	NUT .62-11 HEX GR8 YZ NYLOCK	12
7.	60131361	BRACKET-MUD FLAP DOM1 FORD 6.4L	2
8.	60131565	BRACKET-MUD FLAP DOM1 SIDE PROTECTOR	2
9.	60120705	MTG BRKT-WIRE HARNESS	2
10.	72060026	CAP SCR .31-18X 1.25 HH GR5 Z	18
11.	76392598	WASHER-BONDED .31 PLTD	10
12.	72062109	NUT .31-18 HEX NYLOCK	18
13.	72063078	WASHER .31X1.50 OD ZINC	8
14.	76393799	MUD FLAP W/IMT LOGO 16H X 24W	2
15.	60144599	SHIM-BODY MTG FRT DOM F550 18K 2017	2
16.	72063005	WASHER .50 FLAT	8
17.	72062080	NUT .50-13 HEX NYLOCK	4
18.	72060093	CAP SCR .50-13X 1.50 HH GR5 Z	4
19.	60144644	SPACER-WASHER 2017 FORD	4
20.	72601482	CAP SCR .62-11X 2.50 HH GR8 Z	2
REV. A			

DOMCS - Ford-2017 9' Installation (99906098)

99906098 PARTS LIST


ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	52727031	BRACKET-BODY FRT DOM1 84CA 19000 GVW	2
2.	60122777	SHIM-BODY MTG REAR DOM/PRED F550 19000 G	3
3.	72060151	CAP SCR .62-11X 2.00 HH GR8 Z	10
4.	72063119	WASHER .62 FLAT ASTM F436	24
5.	72063002	WASHER .31 FLAT	26
6.	72601859	NUT .62-11 HEX GR8 YZ NYLOCK	12
7.	60131361	BRACKET-MUD FLAP DOM1 FORD 6.4L	2
8.	60131565	BRACKET-MUD FLAP DOM1 SIDE PROTECTOR	2
9.	60120705	MTG BRKT-WIRE HARNESS	2
10.	72060026	CAP SCR .31-18X 1.25 HH GR5 Z	18
11.	76392598	WASHER-BONDED .31 PLTD	10
12.	72062109	NUT .31-18 HEX NYLOCK	18
13.	72063078	WASHER .31X1.50 OD ZINC	8
14.	76393799	MUD FLAP W/IMT LOGO 16H X 24W	2
15.	60144638	SPACER-DOM1-9' INSTALL KIT 2017 FORD	1
16.	72063003	WASHER .38 FLAT	2
17.	72062103	NUT .38-16 HEX NYLOCK	1
18.	72060048	CAP SCR .38-16X 1.50 HH GR5 Z	1
19.	72601482	CAP SCR .62-11X 2.50 HH GR8 Z	2
20.	60144644	SPACER-WASHER 2017 FORD	4
REV. INITIAL RELEASE			

DOMCS - 2017-Ford, Air Tank Installation (99906094)

99906094 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	70733666	TANK-AIR 10 GAL 8INX48IN(HOTDOG) W/BTM	2
2.	60140190	STRAP-AIR TANK 10 GAL	4
3.	72063003	WASHER .38 FLAT	40
4.	72062103	NUT .38-16 HEX NYLOCK	24
5.	52726968	BRACKET-WLDMT AIR TANK 10 GAL HOTDG 2017	4
6.	60144495	BRACKET-AIR TANK 10 GAL HOTDOG 2015	4
7.	72060046	CAP SCR .38-16X 1.00 HH GR5 Z	16
8.	72534819	NIPPLE-BARB BRS .75MPT/90/.75	4
9.	72053406	PLUG-PIPE SOC HD GLV 1.00	2
10.	72661657	CLAMP-HOSE .75 STEPLESS EAR	4
11.	72053405	PLUG-PIPE SOC HD GLV .75	2
12.	72534403	TEE-STREET STL 0.75	1
13.	72053402	PLUG-PIPE SOC HD GLV .25	1
14.	73054032	VALVE-PRESSURE RELIEF .25 200 PSI	1
15.	72532974	ELBOW-STREET BRS .25 X 90 SHORT	1
16.	72053458	NIPPLE-BARB BRS .75MPT .75	1
17.	51709358	DRAIN ASM-AIR TANK UNDER DECK	1
18.	72063323	WASHER .38X2.00 OD ZINC	8
19.	72060049	CAP SCR .38-16X 1.75 HH GR5 Z	8
REV. A			

2019 Ram Underhood Installation (99906463)



99906463 PARTS LIST


ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	60251867	BRACKET-EFM DOM II SERIES II RAM 2019	REF
REV. INITIAL RELEASE CN973			

This page left intentionally blank

Section - 3

Compartments


DOMCS - Shelf Installation (99906228)



99906228 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	SEE CHART	SHELF	1
2.	SEE CHART	SHELF END	1
3.	SEE CHART	SHELF END	1
4.	72062109	NUT .31-18 HEX NYLOCK	4
5.	72060023	CAP SCR .31-18X .75 HH GR5 Z	4
6.	72063002	WASHER .31 FLAT	4
REV. INITIAL RELEASE			


COMP. LOCATION	ITEM #3 SHELF END	ITEM #1 SHELF END	ITEM #2 SHELF END	SHELF DEPTH	SHELF WIDTH	60136860 SHELF DIV.	SHELF KIT NUMBER
LT. VERT. #1	60136436	60136447	60139821	18.38	33.62		51723712
	60136436	60136450	60139821	18.38	33.62	6 INCLUDE	51723713
LT. VERT. #2	60136439	60137424	60136441	18.38	17.5		51723988
	60136439	60137425	60136441	18.38	17.5	4 INCLUDE	51723989
LT. HORZ 11'	60136438	60136445	60136441	18.38	49.75		51723716
	60136438	60136448	60136441	18.38	49.75	10 INCLUD	51723717
LEFT REAR	60136438	60136444	60136440	18.38	25.75		51723718
	60136438	60136443	60136440	18.38	25.75	5 INCLUDE	51723719
RT. FRT. COMBO	N/A	N/A	N/A				
	N/A	N/A	N/A				
RT. HORZ. 11'	60136439	60136445	60136437	18.38	49.75		51723740
	60136439	60136448	60136437	18.38	49.75	10 INCLUD	51723741
RT. REAR	60136436	60144958	60136437	18.38	25.75		51726532
RT RR W/HYD	60144809	60145024	60145025	17.38	25.75		51727202
DIVIDER PNL.	ITEM #3 SHELF END	ITEM #1 SHELF END	ITEM #2 SHELF END	SIDEPACK	SHELF WIDTH	SHELF DIV.	SHELF KIT NUMBER
48" TALL DIVIDER PANEL 51721550	60139822	60139596	60136862		37.75		51726586
	60139822	60136904	60136862		37.38	10 INCLUD	51726587
56" TALL DIVIDER PANEL 51720127	60139822	60139596	60136862		37.75		51726586
	60139822	60136904	60136862		37.38	10 INCLUD	51726587
22" DIVIDER-REEL SHELF			60135693				
REEL SHELF LUBE		60137942			19.00		
		60133974			30.00		
		60134556			38.00		
		60141573			53.25		

DOMCS - Installation, LH Divider with Shelf (99905256)

99905256 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	51710607	KIT-FIRE EXTINGUISHER 20#	1
2.	60137893	DOMCS-PANEL DOM BOLT IN DIV 19.5D HORIZ	1
3.	60136863	DOMCS -SHELF END 1.50" X 19.06" FOR DIVIDER PANEL	1
4.	60139663	DOMCS -SHELF 1.5" 17.50 X 34.75	1
5.	70398985	DECAL-FIRE EXTINGUISHER	A/R
6.	60136441	DOMCS -SHELF END 1.63" REAR	1
REV. A			

DOMCS - Hydraulic Crimping Option, Low Profile (99905019)



Use kit number: **51723607**


99905019 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99904635	SDPK-DOMCS(II) D1-11 LH 52H	1
2.	52723606	PANEL-TRAY 16.75X 13.75W	1
3.	70731440	DRAWER SLIDE-16IN LG (3.00IN H)	2
4.	60136247	MTG BRKT-ROLLOUT TRAY 6.00L TALL	2
5.	60143495	D(III)-SHELF END 5.25" W-HOSE HOOKS	1
6.	60136443	DOMCS -SHELF 3" W/DIV 26.00	1
7.	60136440	DOMCS -SHELF END 3.44" RF & LR	1
8.	60136860	DOMCS -DIVIDER-DRAWER ALUM 2.88 X 18.125	5
9.	60135570	BRACKET-CRIMPING TRAY	1
REV. C			


NOTE: The pump will rest on the rollout tray which will allow for the hose being crimped to be inserted from under the tray and into the crimping tool at the top of the side pack compt. There will be a 3" H divided shelf for crimping dies. This shelf is installed on the second shelf tab from the top of the compartment. The divided shelf ends will supply two hooks for customer hoses.

This page left intentionally blank

Section - 4**Doors**

DOMCS - 2018 Door Assembly (99905142)

USE ITEM NUMBER 14
(QTY 2 PER SIDE)
IN WHEEL WELL AREA



99905143 PARTS LIST


ITEM NO.	LOCATION	BODY	52"	60"
1.	LEFT VERT 1	ALL	71414310	7146613
2.	LEFT VERT 2	11'	71414308	7146615
3.	NA	NA	NA	NA
4.	NA	NA	NA	NA
5.	NA	NA	NA	NA
6.	LEFT REAR	ALL	71414307	71416616
7.	RIGHT VERT 1	ALL	71414310	71416613
8.	RIGHT VERT 2	11'	71414312	71416615
9.	NA	NA	NA	NA
10.	NA	NA	NA	NA
11.	NA	NA	NA	NA
12.	RIGHT REAR	ALL	71414307	71414307
13.	WORKBENCH	ALL	60126276	60129178
14.	4 PER HINGE	ALL	72601652	
14.	2 PER HINGE	CRANE BOX	72601653	
15.	3 PER HINGE	ALL	72062194	
16.	1 PER HINGE	ALL	72062264	
17	ALL HINGES	ALL	72661383	
REV. C				
Effective: 01/01/2018				

This page left intentionally blank

Section - 5

Master Locks

DOMCS - Master Lock System (99906150)




99906150 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99904995	DS3 -SDPK DOM1-11 RH RSD 1-2 W/ CRANE	A/R
2.	52726836	ROD-MSTR LOCK 77.50IN ASM	A/R
3.	60144207	ROD-MSTR LOCK 30IN TH	A/R
4.	60144211	LINKAGE - MSTR LOCK 16IN	A/R
4.	60144355	LINKAGE - MSTR LOCK 8IN	A/R
5.	60144212	BRACKET-ROD STOP RH LOCK	A/R
5.	60117214	BRACKET-ROD STOP LH LOCK	1
6.	60117214	BRACKET-ROD HANGER MASTER LOCK	A/R
7.	60010351	SPRING-COMPRESSION .062 X 1.50 X .845OD	A/R
8.	70143654	COLLAR-SHAFT 1 PIECE 1/2 IN.	A/R
9.	60144213	HASP EYE - .5 SHACKLE SS	A/R
10.	70034277	GROMMET-POLY .52ID GR-5/8-UL	A/R
11.	72062004	NUT .50-13 HEX	A/R
12.	72063053	WASHER .50 LOCK	A/R
13.	72602140	SCR-MACH .25-20X 1.00 BTNHD HEX SS	A/R
14.	72062104	NUT .25-20 HEX NYLOCK	A/R
15.	76392820	WASHER-BONDED .25 PLTD	A/R
16.	72601590	SCR-MACH .31-18X 1.00 BTNHD HEX SS	A/R
17.	72062109	NUT .31-18 HEX NYLOCK	A/R
18.	72063002	WASHER .31 FLAT	A/R
19.	72062314	WASHER-BONDED .31 SS	A/R
20.	72601435	BOLT-CRG .31-18X 1.25 SQNK GR2	A/R
REV. B			

NOTES:

1. Left rear ø5/8" is 1.19 From top.
2. Caution: if drilling in completed body, wiring could be behind.

99906150-1, MASTER LOCK, CONTINUED

99906150-1 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99905092	SDPK-DS3 -DOM2-11 RH R60 W CRN	A/R
2.	52726925	ROD-MSTR LOCK 27.38IN ASM	A/R
3.	60010351	SPRING-COMPRESSION .062 X 1.50 X .845OD	A/R
4.	60144540	BRACKET-ROD HANGER MASTER LOCK-SHORT	A/R
5.	60144213	HASP EYE - .5 SHACKLE SS	A/R
6.	60144212	BRACKET-ROD STOP LH LOCK	A/R
6.	60144214	BRACKET-ROD STOP RH LOCK	A/R
7.	60144355	LINKAGE - MSTR LOCK 8IN	A/R
8.	60144376	ROD-MSTR LOCK 38.50IN DBL TH	A/R
10.	70034277	GROMMET-POLY .52ID GR-5/8-UL	A/R
11.	70143654	COLLAR-SHAFT 1 PIECE 1/2 IN.	A/R
12.	72062004	NUT .50-13 HEX	A/R
13.	72062024	NUT .50-13 HEX JAM ZINC	A/R
14.	72062104	NUT .25-20 HEX NYLOCK	A/R
15.	72062109	NUT .31-18 HEX NYLOCK	A/R
16.	72062314	WASHER-BONDED .31 SS	A/R
17.	72062399	NUT .25-20 HEX GR2 Z COUPLE 0.875 L	A/R
18.	72063002	WASHER .31 FLAT	A/R
19.	72063053	WASHER .50 LOCK	A/R
20.	72601435	BOLT-CRG .31-18X 1.25 SQNK GR2	A/R
21.	72601590	SCR-MACH .31-18X 1.00 BTNHHD HEX SS	A/R
22.	72602140	SCR-MACH .25-20X 1.00 BTNHHD HEX SS	A/R
23.	72602146	SCR-MACH .31-18X 1.25 BTNHHD HEX SS	A/R
24.	76392820	WASHER-BONDED .25 PLTD	A/R

REV. B


DOMCS - Master Lock Kits

KIT NUMBERS	BODY DESCRIPTION
51735008	11-FOOT DOMINATOR WITH RIGHT AND LEFT STANDARDS
51735079	11-FOOT DOMINATOR WITH RIGHT FRONT RAISED AND LEFT STANDARDS

PART NO.	DESCRIPTION	KIT NUMBERS	
		51735008	51735079
52726835	ROD-MSTR LOCK 105in ASM	2	1
52726836	ROD-MSTR LOCK 77.50in ASM	-	1
60144537	ROD-MSTR LOCK 36in TH	-	1
60144355	LINKAGE - MSTR LOCK 8in	-	1
60144214	BRACKET-ROD STOP RH LOCK	4	4
60144212	BRACKET-ROD STOP LH LOCK	4	4
60117214	BRACKET-ROD HANGER MASTER LOCK	2	3
60010351	SPRING-COMPRESSION .062 X 1.50 X .845OD	4	4
70143654	COLLAR-SHAFT 1 PIECE 1/2 in.	4	4
60144213	HASP EYE - .5 SHACKLE SS	2	2
70034277	GROMMET-POLY .52ID GR-5/8-UL	2	2
72062004	NUT .50-13 HEX GR5 Z	-	3
72063053	NUT .44-14 HEX GR5 Z	-	2
51735001	KIT-HRDW MSTR LOCK 11FT	1	-
51735002	KIT-HRDW MSTR LOCK 11FT ALL RSD 52 CRN	-	1


Section - 6

Assemblies & Installations



DOMCS - 3-Point Access (99906163)

99906163 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	52727090	WLDMT-GRAB HANDLE 3-POINT ACCESS	1
2.	72063322	WASHER-FLAT .50 X .08 X 1.06 BLK NEOPREN	2
3.	72063005	WASHER .50 FLAT	2
4.	72063053	WASHER .50 LOCK	2
5.	72060092	CAP SCR .50-13X 1.25 HH GR5 Z	2
6.	51726580	DS3 -LADDER ASSEMBLY-10 DOM 1	1
7.	60141620	BRKT - DOMCS SLIDE OUT STEP	1
8.	60134206	BRACKET-MUD FLAP EDOMCS10 DOMCS10	1
REV. INITIAL RELEASE			



DOMCS - System Schematic, Air / Lube System (99903268)

This page left intentionally blank

FRL-.50 Hose Reel DOMCS (Parker P32 - 51744236)

51744236 PARTS LIST


ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	70048266	MOISTURE SEP-REG-DOM P32 W-COMMON PORT	1
2.	72053722	ADPTR-MPT/HEX/MPT .38 .25	1
3.	72535013	CROSS-FEMALE PIPE 1/4 IN	1
4.	70048205	GAUGE-PRESS AIR 300 (6001-2.5)	2
5.	72053517	ADPTR-MPT/HEX/MPT .25 .25	1
6.	72532021	QUICK DISCONNECT .25FPT	1
7.	72535014	TEE-BRS BRANCH .50	1
8.	72531547	NIPPLE-BRS BARB .50MPT .75	1
9.	72531829	REDUCER BUSH-STL .50- .38	1
10.	72533699	PUSH LOC- FTG .38 DOT X .38 MPT	1
11.	72533689	HOSE FTG PUSH LOC SWIVEL MPT .25 .25 STL	1
12.	72533587	TEE-BRS RUN .50	1
13.	72533592	NIPPLE-BARB BRS .50MPT/90/.75	2
14.	72531812	REDUCER BUSH-BRS .50- .25	1
15.	72532974	ELBOW-STREET BRS .25 X 90 SHORT	1
REV. INITIAL RELEASE			

DOMCS - Moisture Separator / Regulator / Oiler Assembly (51719866)

51719866 PARTS LIST


ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	70073310	MOISTURE SEP-REG-DOM (MODULAR)	1
2.	70048205	GAUGE-PRESS AIR 300 (6001-2.5)	2
3.	72533592	NIPPLE-BARB BRS .50MPT/90/.75	1
4.	72063049	WASHER .25 LOCK	4
5.	72532974	ELBOW-STREET BRS .25 X 90 SHORT	1
6.	72533587	TEE-BRS RUN .50	1
7.	72531812	REDUCER BUSH-BRS .50- .25	1
8.	72531829	REDUCER BUSH-STL .50- .38	1
9.	72531547	NIPPLE-BRS BARB .50MPT .75	1
10.	72533699	PUSH LOC- FTG .38 DOT X .38 MPT	1
11.	72533689	HOSE FTG PUSH LOC SWIVEL MPT .25 .25 STL	1
12.	72060703	CAP SCR .25-20 .50 SH PLAIN	4
13.	72053517	ADPTR-MPT/HEX/MPT .25 .25	2
14.	72535013	CROSS-FEMALE PIPE 1/4 IN	1
15.	72532021	QUICK DISCONNECT .25FPT	1
16.	72535014	TEE-BRS BRANCH .50	1
REV. C CN876			

DOMCS - Hinged Load Bed Cover (99905169)



99905169 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	52723254	MTG BRACKET-DOMCS CARGO COVER RH	1
2.	52723255	MTG BRACKET-DOMCS CARGO COVER LH	1
3.	52723256	ANGLE-W DOMCS CARGO COVER FRT CORNER	2
4.	72601410	SCR-MACH .25-20X .75 BTNHD ZC	37
5.	72063001	WASHER .25 FLAT	103
6.	72062104	NUT .25-20 HEX NYLOCK	36
7.	60137348	COVER-DOMCS CARGO COVER FRT ACCESS	1
8.	52723257	COVER-WLDMT DOMCS CARGO COVER FRONT FIXED	1
9.	72661383	HINGE-SS 10GA BUTT W/IMT LOGO OFFSET	2
10.	60137349	Z-DOMCS CARGO COVER SIDE JAMB	2
11.	52723258	POST-DOMCS CARGO COVER REAR LR	1
12.	70039108	LATCH-RUBBER T-HANDLE	2
13.	52723259	LID-WLDMT DOMCS CARGO COVER	1
14.	60137352	ANGLE-DOMCS CARGO COVER CABLE STOP	2
15.	72063049	WASHER .25 LOCK	30
16.	72060004	CAP SCR .25-20X 1.00 HH GR5 Z	4
17.	52723261	POST-DOMCS CARGO COVER REAR RR	1
18.	72060002	CAP SCR .25-20X .75 HH GR5 Z	4
19.	72601509	SCR-MACH .25-20X 1.00 BTNHD ZC	22
20.	72060634	SCR-MACH 10-24X .50 RDH	8
21.	72062106	NUT 10-24 HEX NYLOCK	8
22.	72062194	NUT-SS .25-20 NYLOC	8
23.	72063166	WASHER-FLAT .25 R WRT 18-8 .62OD SS	8
24.	72601652	SCR-MACH .25-20X .75TRHTORXSS	8
25.	72661700	CABLE-PLASTIC COATED .19 X 45INL W/EYES	2
REV. INITIAL RELEASE			

99905169-1, HINGED LOAD BED COVER, CONTINUED

This page left intentionally blank

DOMCS - Lube Fill Modification, 45-Gallon Poly Tank (99905162)

NPT OUTLETS CAN BE ADDED BY INCLUDING THE FOLLOWING BASED ON DESIRED SIZE.


72534432 .75 NPT (1.75 HOLE REQ'D)

73734063 1.00 NPT (1.75 HOLE REQ'D)

72534506 1.25 NPT (2.25 HOLE REQ'D)

72534538 1.50 NPT (3.00 HOLE REQ'D)

72534433 2.00 NPT (3.00 HOLE REQ'D)




DETAIL B
SCALE .2

SALV OR A/F TANK CONFIGURATION. (51724020)

SEE SALES DRAWING TO LOCATE LOWER 1.00" OUTLET FITTING (IF REQ'D).

99905177 IS ALSO THE NUMBER OF THE .dxf. FOR THE TEMPLATE JIG TO MARK OUT THE TOP OPENING. THE JIG HAS TWO OPENINGS, CUT ONLY ONE OPENING FOR A SALV APPLICATION. (JIG IS MADE OF 14GA)







99905162 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	70034461	TANK-WATER 45 GAL PLASTIC PRED FRESH	1
2.	52709490	MTG PLT-LUBE PUMP LINC 485 2.00IN COUPL	2
3.	60137331	MTG PLT-LUBE PUMP W/POLY TANK	2
4.	72532662	PLUG-PIPE SOC HEX STL .75	1
5.	72534432	UNION-BULKHEAD PVC .75 NPT W-GASKET	1
6.	72060025	CAP SCR .31-18X 1.00 HH GR5 Z	10
7.	72533514	ADPTR-BREATHER FILTER OIL TANK	1
8.	73054974	FILTER-BREATHER OIL RESERVOIR	1
9.	72053556	ELBOW-STREET STL .75 X 90 DEG	3
10.	70732184	FILL NECK ASM-VENTED CAP 2IN 50	1
11.	76392369	GASKET-LUBE TANK .12 THK 7X7	2
12.	73054230	VALVE-BALL .75	1
13.	72053676	ADPTR-MPT/M JIC .75 12	1
14.	72533371	UNION-BULKHEAD JIC 12 (1 1/16-12)	1
15.	72063066	WASHER 1.00 FLAT HI STR	1
16.	99905162-SILICONE	APPLIED RING OF SILICONE	2
17.	99905162-SILICONE SQ	APPLIED RING OF SILICONE	2
18.	76392598	WASHER-BONDED .31 PLTD	10
19.	72063050	WASHER .31 LOCK	10

REV. B CN673

NOTES:

1. Prior to installing gasket, add bead of 100% silicone sealant.
2. Prior to installing plate, add bead of 100% silicone sealant.

99905162-1, LUBE FILL MODIFICATION, CONTINUED**OIL TANK CONFIGURATION (51724019).**




**99905177 IS ALSO THE NUMBER
OF THE .dxf. FOR THE TEMPLATE JIG
TO MARK OUT THE TOP OPENINGS.
(JIG IS MADE OF 14GA)**

99905162-1 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	70034461	TANK-WATER 45 GAL PLASTIC PRED FRESH	1
2.	52709490	MTG PLT-LUBE PUMP LINC 485 2.00IN COUPL	2
3.	60137331	MTG PLT-LUBE PUMP W/POLY TANK	2
4.	72532662	PLUG-PIPE SOC HEX STL .75	1
5.	72534432	UNION-BULKHEAD PVC .75 NPT W-GASKET	1
6.	72060025	CAP SCR .31-18X 1.00 HH GR5 Z	10
7.	72533514	ADPTR-BREATHER FILTER OIL TANK	1
8.	73054974	FILTER-BREATHER OIL RESERVOIR	1
9.	72053556	ELBOW-STREET STL .75 X 90 DEG	3
10.	70732184	FILL NECK ASM-VENTED CAP 2IN 50	1
11.	76392369	GASKET-LUBE TANK .12 THK 7X7	2
12.	73054230	VALVE-BALL .75	1
13.	72053676	ADPTR-MPT/M JIC .75 12	1
14.	72533371	UNION-BULKHEAD JIC 12 (1 1/16-12)	1
15.	72063066	WASHER 1.00 FLAT HI STR	1
16.	99905162-SILICONE	APPLIED RING OF SILICONE	2
17.	99905162-SILICONE SQ	APPLIED RING OF SILICONE	2
18.	76392598	WASHER-BONDED .31 PLTD	10
19.	72063050	WASHER .31 LOCK	10
REV B CN673			

NOTES:


1. Prior to installing gasket, add bead of 100% silicone sealant.
2. Prior to installing plate, add bead of 100% silicone sealant.

DOMCS - Poly Tank Fence (99905442)**Poly Fence Kit: 51725073**

99905442 PARTS LIST


ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	51724019	TANK-ASM 45 GAL POLY DOMCS OIL	A/R
2.	60140762	BAR-POLY TANK MOUNT DOMCS	1
3.	52723402	FENCE-DOMCS WITH POLY TANK CROSS CARGO BED	4
4.	52723403	FENCE-DOMCS WITH POLY TANK END LOCK	1
5.	60251479	GUARD-POLY TANK DOMCS DUAL	1
6.	60137960	BAR-HOLD DOWN POLY TANK DOMCS	2
7.	70733533	PUMP-OIL ARO 5:1 AIR	A/R
8.	51724020	TANK-ASM 45 GAL POLY DOMCS SALV	A/R
REV. INITIAL RELEASE			

DOMCS - Poly Tank (99905177)




99905177 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	51724019	TANK-ASM 45 GAL POLY DOMCS OIL	2
2.	51724020	TANK-ASM 45 GAL POLY DOMCS SALV	1
3.	52723264	FENCE-DOMCS WITH POLY TANK CROSS CARGO BED	3
4.	52723265	FENCE-DOMCS WITH POLY TANK END LOCK	2
5.	52723266	FENCE-DOMCS WITH POLY TANK SINGLE TANK	2
6.	72063003	WASHER .38 FLAT	36
7.	72062103	NUT .38-16 HEX NYLOCK	30
8.	72060046	CAP SCR .38-16X 1.00 HH GR5 Z	24
9.	72060052	CAP SCR .38-16X 2.50 HH GR5 Z	4
10.	72060047	CAP SCR .38-16X 1.25 HH GR5 Z	2
11.	76392821	WASHER-BONDED .38 PLTD	20
12.	60251472	GUARD-POLY TANK DOMCS MULTI	1
13.	60251473	GUARD-POLY TANK DOMCS SINGLE 32H	1
14.	52723307	FENCE-DOMCS WITH POLY TANK CROSS CARGO BED 32H	1
15.	60137900	BRACKET-DOMCS POLY FENCE-PAINTED	4
16.	60143161	BRACKET-POLY HOLD DOWN DOMCS	1
17.	60136392	DS3 - TAIL LIGHT BOX	2
REV. INITIAL RELEASE			

DOMCS - Installation (Ingersoll-Rand Compressor) (99904672)


This page left intentionally blank

DOMCS - Installation, Load Gate (99904657)



99904657 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	70734523	LOADGATE-G2-60-1650 PAINT (DOMCS)	1
2.	60136216	PANEL-LOADGATE DECAL DOMCS	1
3.	60030309	WEAR PAD-LOADGATE 16-86	2
4.	72066349	RIVET-POP SS .188 X .50 GRIP	8
5.	72063005	WASHER .50 FLAT	8
6.	72063053	WASHER .50 LOCK	2
7.	72060094	CAP SCR .50-13X 1.75 HH GR5 Z	4
8.	72062080	NUT .50-13 HEX NYLOCK	4
9.	72060026	CAP SCR .31-18X 1.25 HH GR5 Z	2
10.	72062109	NUT .31-18 HEX NYLOCK	7
11.	72063002	WASHER .31 FLAT	8
12.	72060032	CAP SCR .31-18X 2.75 HH GR5 Z	4
13.	52706335	SIDE RAIL-WLDMT LOADGATE	1
14.	52722002	TIRE STOP-WLDMT 90R LOADGATE 50"W GATE	1
15.	72060092	CAP SCR .50-13X 1.25 HH GR5 Z	2
16.	70732068	STEP/HAND-GRIP, FOLD DOWN FOR LOADGATE	1
17.	72661467	HANDLE-BODY BOLT ON 7.0X2.5BLK	1
18.	60134396	PANEL-LOADGATE REINFORCEMENT	1
19.	72063003	WASHER .38 FLAT	6
20.	72063051	WASHER .38 LOCK	6
21.	72060047	CAP SCR .38-16X 1.25 HH GR5 Z	6
REV. B			

DOMCS - Tailgate Kit (51718801)


51718801 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	52718802	D(II)-TAILGATE WLDMT REAR COVER	1
2.	52718803	D(II)-TAILGATE WLDMT LATCH ROD	1
3.	52718804	D(II)-TAILGATE WLDMT FRONT COVER	1
6.	72661226	RIVET-AL .257 DIA X .38 GRIP	14
7.	71411138	SPRING-EXTENSION .50 X 3.50 X 14GA	1
8.	60126539	D(II)-BRKT TAILGATE REAR COVER	2
9.	72063001	WASHER .25 FLAT	8
10.	72060002	CAP SCR .25-20X .75 HH GR5 Z	4
11.	72062104	NUT .25-20 HEX NYLOCK	4
12.	72063003	WASHER .38 FLAT	8
13.	72060047	CAP SCR .38-16X 1.25 HH GR5 Z	4
14.	72062103	NUT .38-16 HEX NYLOCK	4
15.	72661600	CABLE-PLASTIC COATED .19 X 13"L W/EYES	2
17.	52719638	D(II)-TAILGATE POST WLDMT RH W-SPACE	1
18.	52719639	D(II)-TAILGATE POST WLDMT LH W-SPACE	1
REV. G			

NOTES:


1. Install rod wldmt #2 into panel #3 slots.
2. Connect spring #7 between panel #3 bracket and rod #2 bracket.
3. Join panel #1 over panel #3.
4. Connect panel #1 to panel #3 with rivet #6.
5. Insert lower mounting pin of mounting bracket #17-#18 into lower hole of assembled tailgate.
6. Bolt assembly to rear of body.
7. Cable #15 will share the top mounting hole in bracket #17-#18. The other end of this cable will be attached to the top end of the tailgate. This will hold the open tailgate parallel to the cargo floor.

DOMCS - Rock Guard, Wheel Chocks & Vise (99904659)



99904659 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	60123785	CHOCK-TRIM RING ON DOM SKIRT	2
2.	60251408	GUARD-ROCK .063 ALUM 21.00X 21.00	1
3.	60133535	PANEL-CHOCK HOLDER DOM SKIRT WELD IN	2
4.	52722351	HOUSING-VISE MOUNT IN COMPT	1
5.	52722352	VISE MOUNTING SLIDE-INNER	1
6.	52070138	PIN-WLDMT - T (THRU .38 THICKNESS)	1
7.	60010351	SPRING-COMPRESSION .062 X 1.50 X .845OD	1
8.	72063007	WASHER .62 FLAT	2
9.	72066185	COTTER PIN .16X1.00 PLAIN	1
10.	72062123	NUT-SS #10-24 NYLOC	AR
11.	72601823	SCR-MACH #10-24X .75 RDH PH SS	AR
12.	72661418	RIVET-POP AL .188 X .50 GRIP	AR
13.	70034499	OPTIONAL- CHOCK-POLY/NYL REINF W/U-BOLT FOR DOM	AR
14.	70397353	DECAL-DANGER CRUSHING	1
REV. G			


DOMCS - Crane Accessory Kit (99904656)

99904656 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	52719863	TRough- DRIP TRAY U RENTAL CRN BOX	1
2.	60116698	DRIP TRAY-CRANE COMPT DOM	1
3.	72060025	CAP SCR .31-18X 1.00 HH GR5 Z	2
4.	72062109	NUT .31-18 HEX NYLOCK	2
5.	72063002	WASHER .31 FLAT	5
6.	72060023	CAP SCR .31-18X .75 HH GR5 Z	6
7.	72053458	NIPPLE-BARB BRS .75MPT .75	7
8.	72053305	COUPLING-BLK .75	8
9.	72066000	CLAMP-HOSE .50-1.25 SAE 12	9


REV. A

DOMCS - Rollout Tray Assembly (51713998)



ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	52713999	ROLLOUT TRAY WELDMENT	1
2.	60114300	MOUNTING BRACKET	2
3.	70731440	DRAWER SLIDE	2
4.	72062106	NUT #10-24 HEX NYLOC	16
5.	72063123	WASHER #10 FLAT	16
6.	72601284	SCREW-MACH #10-24 X .63 FLH	8
7.	72601283	SCREW-MACH #10-24 .63 RDH	8
8.	72601329	CAP SCREW .31-18 X .75 BTNHD	4
9.	72063002	WASHER .31 FLAT	2
10.	72062109	NUT .31-18 HEX NYLOC	4


REV. INITIAL RELEASE

DOMCS - Removable Gate (51712986)

51712986 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	52712987	GATE-WLDMT REMOVABLE (MECH)	1
2.	52725530	BRACKET-WLDMT REMOVABLE GATE	2
3.	72063002	WASHER .31 FLAT	8
4.	72062109	NUT .31-18 HEX NYLOCK	8
5.	72060025	CAP SCR .31-18X 1.00 HH GR5 Z	8
6.	76392598	WASHER-BONDED PLTD .31	8
REV. INITIAL RELEASE			


This page left intentionally blank

DOMCS - Air Tank, Top Deck, Installation (99906107)

99906107 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY
1.	70734759	AIR TANK 20 GAL WITH BRACKETS	1
2.	52726910	FRAME-COMPR MTG CAS40P W-AIR LINE ROUTE	AR
3.	72063003	WASHER .38 FLAT	4
4.	72062103	NUT .38-16 HEX NYLOCK	4
5.	76392821	WASHER-BONDED .38 PLTD	4
6.	72060047	CAP SCR .38-16X 1.25 HH GR5 Z	4
7.	72533592	NIPPLE-BARB BRS .50MPT/90/.75	1
8.	72534819	ELBOW-BRS .75MPT/90/.75 NIPPLE BARB	3
9.	72532260	REDUCER BUSH-STL 1.50- .75	2
10.	72532661	PLUG-PIPE SOC HEX STL .50	3
11.	73054032	VALVE-PRESSURE RELIEF .25 200 PSI	1
12.	51709358	DRAIN ASM-AIR TANK UNDER DECK	1
13.	CAS80R	CAS80R	1
14.	52727024	FRAME-COMPR MTG CAS80R W-AIR LINE ROUTE	AR
REV. INITIAL RELEASE			

Air Tank Kit-15gal Dual (30G) Side Mount (51709693)




NOTES:

1. Locate decal as close to drain valve as possible, in clear view of operator.
2. Fitting configuration may vary per application. Tank bracket may be mounted, inverted, or rotated 180 degrees as required per application.

51709693 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	52709697	TANK BRKT-SGL 15GAL	2
2.	60106492	BRACKET, AIR TANK	4
3.	72060048	CAP SCR 3/8-16 X 1.5	8
4.	72060096	CAP SCR 1/2-13 X 2.50	8
5.	72062080	NUT 1/2-13 HEX SELF LOCK	8
6.	72062103	NUT 3/8-16 HEX SELF LOCK	8
7.	72063005	WASHER 1/2 FLAT	16
8.	70073062	TANK, AIR 15 GAL	2
9.	89392349	HOSE-GP 3/4" 200 PSI	8'
10.	72532559	HOSE FTG 3/4 3/4 BRS	4
11.	72053556	ELBOW STR 3/4X90°	4
12.	72053180	RED BUSHING 1.25-.75	4
13.	72053397	PIPE PLUG 1.25 HOL HEX	4
14.	72053246	PLUG-PIPE 3/8 SQHD	1
15.	73054032	SAFETY VALVE .25 200 PSI	1
16.	72053282	ELBOW STREET 1/4 X 90°	1
17.	72661657	CLAMP-HOSE .75 STEPLESS EAR	2
18.	51713771	DRAIN ASM, DUAL TANK	1
19.	52053372	RED BUSHING .38-.25	1
20.	71393886	DECAL-DANGER AIR TANK	1


REV. B

Regulator Ports - FLR DOM P32 (51727824, Parker)

51727824 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	72063049	WASHER-LOCK 1/4 Zinc	4
2.	72060703	CAP SCR SH PLAIN 1/4 - 20 UNC - 1/2	4
3.	72533587	TEE-BRS RUN .50	1
4.	72533586	TEE-BRS RUN .38	1
5.	72053571	ELBOW-STREET BRS .38 X 45 DEG	1
6.	72533593	QUICK DISCONNECT .38MPT/.25DIS	1
7.	72533588	REDUCER BUSH-BRS .38-.25	1
8.	72531812	REDUCER BUSH-BRS .50-.25	1
9.	72532974	ELBOW-STREET BRS .25 X 90 SHORT	1
10.	70048205	GAUGE-PRESS AIR 300 (6001-2.5)	2
11.	72533592	NIPPLE-BARB BRS .50MPT/90/.75	2
12.	70048262	MOISTURE SEP-REG-DOM P32	1
REV. INITIAL RELEASE CN1011			

DOMCS - Oil Pump (70733533)



70733533 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.		CARRIAGE BOLT, 1/4-20 X 9	4
2.		UPPER CAP	1
3.	PART OF 47	GASKET	2
4.		SLEEVE	2
5.	PART OF 47	O-RING, 1/16" X 11/16" OD	4
6.	PART OF 47	O-RING, 1/8" X 3/4" OD	4
7.		SPOOL	2
8.	PART OF 47	U-CUP, 1/8" X 3/4" OD	2
9.	PART OF 47	O-RING, .106 X .587" OD	2
10.		CYLINDER	1
11.		O-RING, 1/16" X 7/16" OD	1
12.		ADAPTER	1
13.	PART OF 47	O-RING, 1/16" X 3/4"	1
15.		MUFFLER HOUSING	1
16.		FOAM LINER	2
17.		EDGE TRIM	2
18.		RETAINING RING	1
19.		WASHER	1
20.	PART OF 47	U-CUP, 3/16" X 3" OD	2
21.		PISTON	1
22.		LOWER CAP	1
23.	PART OF 47	O-RING, 1/8" X 1-9/16" OD	1
24.	PART OF 47	O-RING, 3/32" X 2-1/8" OD	1
25.		BUSHING	1
26.	PART OF 47	PACKING, 3/8" X 1-13/16" OD	1
27.	PART OF 47	O-RING, 3/32" X 1" OD	1
28.		PISTON ROD	1
29.		ROD	1
30.		CUP FOLLOWER	1
31.	PART OF 47	PISTON CUP	1
32.		WASHER	1
33.		BALL	1
34.		INNER CHECK SEAT	1
35.		BASE	1
36.		NUT, 1/4" - 20	4
37.		GROUND SCREW, #10 -32X1/4"	1
38.	PART OF 47	GASKET	1
39.		TUBE	1
40.	PART OF 47	O-RING, 1/8" X 1-7/8" OD	1
41.		BALL	1
42.		BALL STOP PIN	1
43.		FOOT VALVE SEAT	1
44.		BUNG ASSEMBLY	1
45.		THUMB SCREW, 1/4"-20 X 1-1/2"	1

70733533 PARTS LIST


ITEM NO.	PART NO.	DESCRIPTION	QTY.
46.		NUT, 1/4"-20	1
47.	73734196	REPAIR KIT	REF
REV. INITIAL RELEASE			

ITEM NO.	TORQUE
12	80 IN-LB MAXIMUM
36	80 IN-LB MINIMUM
30, 34	65 FT-LB MINIMUM
39, 43	140 FT-LB MINIMUM

NOTE: Items shown are common service items, for part numbers not assigned contact:

**IOWA MOLD TOOLING CO., INC.
TECHNICAL SUPPORT TEAM
TELEPHONE: 800-554-4421**

DOMCS - Grease Pump Assembly (70733534)



70733534 PARS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.		CARRIAGE BOLT, 1/4-20 X 9	4
2.		UPPER CAP	1
3.	PART OF 59	TRACK GASKET	2
4.		SLEEVE	2
5.	PART OF 59	O-RING, 1/16 X 11/16	4
6.	PART OF 59	O-RING, 1/8 X 3/4	4
7.		SPOOL	2
8.	PART OF 59	U-CUP, 1/8 X 3/4	2
9.	PART OF 59	O-RING, 0.106 X 0.587	2
10.		CYLINDER	1
11.		ADAPTER	1
12.		O-RING, 1/16 X 3/4	1
13.		O-RING, 1/16 X 7/16	1
14.		MUFFLER HOUSING	1
15.		FOAM LINER	2
16.		EDGE TRIM	2
18.		RETAINING RING	1
19.		WASHER	1
20.	PART OF 59	U-CUP, 3/16 X 3	2
21.		PISTON	1
23.		PISTON ADAPTER	1
24.	PART OF 59	O-RING, 3/32 X 1	1
25.		DOWEL PIN, 1/4 X 7/8	1
26.		WASHER	1
27.	PART OF 59	O-RING, 3/32 X 11/16	1
28.		SPRING	1
29.	PART OF 59	ROD SEAL	1
30.		BASE	1
31.		NUT, 1/4-20	4
32.		GROUND SCREW, #10-32 X 1/4	1
33.	PART OF 59	GASKET	1
34.		EXTENSION TUBE	1
35.	PART OF 59	GASKET	1
36.		PISTON ROD	1
37.		PIN	1
38.	PART OF 59	COTTER PIN, 1/16 X 1/2	1
39.		CONNECTOR	1
PISTON & TUBE ASSEMBLIES			
40.		LOWER SUCTION TUBE	1
41.		PLUNGER	1
42.		BALL STOP	1
43.		BALL	1
44.		ADAPTER	1
45.	PART OF 59	GUIDE WASHER	1

70733534 PARS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
46.		SPACER	1
47.		RETAINING RING, 0.763" OD	1
48.		U-CUP, 3/16 X 11/16	1
49.		GUIDE SPACER	1
50.		VALVE BODY	1
FOOT ASSEMBLY (INCL 47-50)			
51.	PART OF 59	GASKET	1
52.		VALVE SEAT	1
53.		PRIMER ROD	1
54.		RETAINING RING	1
55.		PRIMER	1
56.		PRIMER TUBE	1
57.		BUNG ASSEMBLY (INCL 58)	1
58.		THUMB SCREW (1/4-20 X 1)	3
59.	73734201	REPAIR KIT (INCLUDES 3,5,6,8,9,12,13,20,24,27,29,33,35,38,45,51,54)	1


REV. INITIAL RELEASE

ITEM NO.	TORQUE
11	80 IN-LB MAXIMUM
31	80 IN-LB MINIMUM
34, 40, 56	65 FT-LB MINIMUM
39	17 - 25 FT-LB
44	50 - 70 FT-LB
53	70 - 100 FT-LB

NOTE: Items shown are common service items, for part numbers not assigned contact:

**IOWA MOLD TOOLING CO., INC.
TECHNICAL SUPPORT TEAM
TELEPHONE: 800-554-4421**

DOMCS - Salvage Pump Assembly (70733535)



70733535 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	73734204	ROD	1
2.	PART OF 64	O-RING, 3/32 X 5/8	1
5.		WASHER	2
6.	73734205	DIAPHRAGM NUT, 5/16-18	2
7.	PART OF 64	DIAPHRAGM	2
15.		FLUID CAP (INCL 26,124)	2
19.	PART OF 64	O-RING, 1-5/16" OD	4
20.	PART OF 64	O-RING, 1-1/8" OD	2
21.		SEAT	4
22.	PART OF 64	BALL, 3/4" DIA	4
26.		BOLT, 5/16-18 X 1-1/2	8
29.		NUT, 5/16-18	2
33.		O-RING, 1-3/16" OD	4
34.		MANIFOLD, OUTLET (TOP)	2
35.		MANIFOLD FOOT (BOTTOM)	2
36.		SWIVEL	2
37.		CLAMP	8
38.		BOLT, #10-24 X 1-1/2	8
39.		NUT, #10 - 24	8
41A.		BALLCAGE	4
41B.		SLEEVE	4
42.		DUCKBILL	4
43.		GROUND STRAP	1
57.		GROUND KIT ASSEMBLY	1
60.		MANIFOLD, INLET (BOTTOM)	1
61.		MANIFOLD, OUTLET (TOP)	1
62.		FLANGE NUT, 5/16-18	24
63.		PLUG, 1/2-14 NPT	6
64.	73734202	FLUID SECTION SERVICE KIT (INCL 2, 7, 19, 20, 22, 33)	
65.	73734203	AIR SECTION REPAIR KIT (INCL. 102,119,122,130,137-141)	
101.		MOTOR BODY	1
102.	PART OF 65	O-RING, 3/32 X 1	2
103.	73734209	SLEEVE	1
104.	73734210	SNAP RING, 13/16"	2
111.		SPOOL	1
118.		PILOT ROD	1
119.	PART OF 65	O-RING, 1/8 X 3/4	4
120.	73734211	SPACER	3
122.	PART OF 65	SNAP RING, 1/2"	2
124.		STUD, 5/16-18 X1-17/32	8
129.		MUFFLER ASM	1
130.	PART OF 65	GASKET	1
131.		BOLT, 5/16-18 X 1-1/4	8
132.		GASKET	1
133.		WASHER, 9/32" ID	4

70733535 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
134.		BOLT, 1/4-20 X 5	4
135.		VALVE BLOCK	1
136.		PLUG	1
137.	PART OF 65	O-RING, 3/32X1-1/2"	1
138.	PART OF 65	PACKING, U-CUP (1/8 X 1)	1
139.	PART OF 65	PACKING, U-CUP (1/8 X 1.427)	1
140.	PART OF 65	VALVE INSERT	1
141.	PART OF 65	VALVE PLATE	1
142.		WASHER	2
143.		PLATE	2
201.		MUFFLER	
REV. INITIAL RELEASE			


FLUID END TORQUE REQUIREMENTS		AIR END TORQUE REQUIREMENTS	
ITEM NO.	TORQUE	ITEM NO.	TORQUE
6.	95 - 105 in-lb		
29. & 62.	50 - 60 in-lb alternately and evenly, then re-torque after initial run.	134.	Torque to 15-20 in-lb, wait 10 minutes, then re-torque to 15-20 in-lb.
39.	20 - 25 in-lb, then re-torque		
63.	25 in-lb maximum		

NOTE: Items shown are common service items, for part numbers not assigned contact:

**IOWA MOLD TOOLING CO., INC.
TECHNICAL SUPPORT TEAM
TELEPHONE: 800-554-4421**


DOMCS - Hose Reel Parts**TYPICAL HOSE REEL ASSEMBLY:**

IMT REEL NO.	PRODUCT	DRIVE SPRING	SWIVEL	SEAL KIT	HOSE SIZE
70733522	OXY / ACT	70734206	73734207	73734208	N/A
70733523	Salvage	73734215	73734216	73734217	.75" X 25'
70733524	Oil	73734212	73734213	73734214	.38" X 30'
70733525	Grease	73734218	73734219	Not repairable, must replace.	.38" X 25'
70733526	Air	73734220	73734221	Not repairable, must replace.	.38" X 35'


DOMCS Installation - Jump Start - Rear (99906393)

JUMP START BRACKET
AND B/U ALARM SHARE
THE SAME FASTENERS.

RELOCATE B/U ALARM
TO THIS SIDE OF TRAILER
HITCH BRACKET.



DETAIL A
SCALE 0.40:1



99906393 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	60145916	GUARD-ELEC TRAILER PLUG DOMCS BOLT ON	1
2.	52727680	BRACKET-REAR JUMP START BOLT ON.	1
3.	77040020	ALARM-BACK UP HORN	1
REV: INITIAL RELEASE			

BODY WITH WORKBENCH OR STEP BUMPER:

1. FOR ALL INSTALLATIONS EXCEPT WITH VANAIR 300:
 - **51727663** JUMP START - KIT REAR JUMP CON HITCH 175A


2. FOR INSTALLATION WITH VANAIR 300:
 - **51727634** JUMP START - KIT REAR JUMP CON HITCH 300A.

BODY WITH LOADGATE REAR END:

1. FOR ALL INSTALLATIONS EXCEPT WITH VANAIR 300:
 - **51722370** JUMP START - KIT REAR JUMP CON IN COMPT 175A.

2. FOR INSTALLATION WITH VANAIR 300:
 - **51727635** JUMP START - KIT REAR JUMP CON IN COMP 300A

DOMCS - Hydraulic Crimping Option (99904692)




Use kit number: 51723228

99904692 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99904635	SDPK-DOMCS D1-11 LH 52H	1
2.	52713999	PANEL-TRAY 16.75X 15.75W	1
3.	70731440	DRAWER SLIDE-16in LG (3.00in H)	2
4.	60134552	MTG BRKT-ROLLOUT TRAY 17.75L TALL	2
5.	60134553	DOMCS-SHELF END 5.25" W-HOSE HOOKS	1
6.	60126409	DOMCS-SHELF 3" W/DIV 26.00	1
7.	60126697	DOMCS-SHELF END 3.44" RV1 FRT	1
8.	60251115	DOMCS-DIVIDER-DRAWER ALUM 2.88 X 18.75	5
9.	60135570	BRACKET-CRIMPING TRAY	1
REV. A			


NOTE: The pump will rest on the floor of the compartment. The rollout tray is used to create a work surface and is to travel over the pump at the top of the sidepack compartment. There will be a 3" H divided shelf for crimping dies. This shelf is to be installed high in the compartment. Supply 14" minimum between the bottom of the rollout tray and the floor of the compartment. The rollout tray must travel over the customer's hydraulic crimping tool pump. One of the divided shelf ends will supply two hooks for customer hoses.

DOMCS STD Step UR Assembly WO-CRN (99906422)

99906422

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99906419	D(II) BODY-DSC 11 R 52 L52 UNITED RENTALS (II). 2019	1
7.	77441510	BEACON LIGHT BAR 17W LED STROBE AMBER	1
19.	51726040	DS3 -LADDER ASSEMBLY-10 YELLOW	1
REV. A CN1015			


99906422-2



99906422-2


ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99906419	D(II) BODY-DSC 11 R 52 L52 UNITED RENTALS (II). 2019	1
2.	70733779	DRAWERS PAINTED 26W 2-5/1-7/5-3 41H	1
3.	70733523	HOSE REEL-REE20 F7925 OLP .75X25FT SALV	1
4.	51716551	PUMP ASM-SALVAGE (ARO .50IN)	1
5.	70734255	HOSE REEL-AIR .50INX50FT 300PSI 5850 OLP	1
8.	77040424	FLOODLIGHT-COMPOSITE WORK LAMP TOP MTG	4
9.	60117375	BRACKET-FLOODLIGHT 12V REAR SP	2
10.	70734400	VISE-COMBINATION 5IN	1
12.	60138957	HANGER-NOZZEL DOMCS	2
13.	52723339	NOZZLE-SALV W-HANGER DOMCS .75	1
14.	51725704	FILTER DRAIN BOX 12X12X10H	1
17.	60141942	BRACKET-HANGER SALV NOZZEL TRACK MTG	1
18.	70732112	HOSE REEL- .50 X 50FT MP 7850-OMP	2
20.	51718801	D(II)-TAILGATE ASM 10"	1
30.	51725955	KIT-HRDW (CS) REAR CAMERA	1
35.	51721209	MANIFOLD-AIR PUMPS (CS) 2006 2-PUMPS	1
42.	72053726	ADPTR-MPT/HEX/MPT .75 .50	2
44.	72534887	FAST FILL-SOCKET .50 NPT .50 BODY (INSERT)	2
65.	89039939	TREAD-SHUR STEP 2IN X 66.25IN YELLOW	1
66.	60143686	GUARD-HARNESS UNITED RENTALS RF	1
68.	89039939	TREAD-SHUR STEP 2IN X 15.25IN YELLOW	1
69.	89039939	TREAD-SHUR STEP 2IN X 25.50IN YELLOW	1
70.	89039939	TREAD-SHUR STEP 2IN X 13.13IN YELLOW	1

REV. A CN1015

99906422-3


99906422-3

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99906419	D(II) BODY-DSC 11 R 52 L52 UNITED RENTALS (II). 2019	1
14.	51725704	FILTER DRAIN BOX 12X12X10H	1
15.	52726222	GATE-REMOVEABLE W- E TRACK 21.00"H	1
16.	71732054	PIN-QUICK RLSE .50D/2.5CRIT RNG	2
61.	60142837	BRACKET-SWITCH DOOR TELE TOP	1
62.	77041952	SWITCH-MICRO LIGHT DOM TELE TOP	1
63.	77040640	LIGHT-BAR LED CARGO WALL 1.75X6.25 (UR)	1
64.	51726414	SHELF W-ROLLOUT DRAWER RH HORIZ	2
REV. A CN1015			

99906422-4

99906422-4

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99906419	D(II) BODY-DSC 11 R 52 L52 UNITED RENTALS (II). 2019	1
4.	51716551	PUMP ASM-SALVAGE (ARO .50IN)	1
12.	60138957	HANGER-NOZZEL DOMCS	2
17.	60141942	BRACKET-HANGER SALV NOZZEL TRACK MTG	1
18.	70732112	HOSE REEL- .50 X 50FT MP 7850-OMP	2
24.	51724637	KIT-HRDW DOMCS SALV PUMP MTG	1
25.	51724633	KIT-HRDW DOMCS REEL FROM ROOF	3
27.	51724355	KIT-HRDW (CS) 2006 AIR SYS .50 REEL (UR	1
35.	51721209	MANIFOLD-AIR PUMPS (CS) 2006 2-PUMPS	1
38.	60123421	BRACKET-LIGHT DOM COMPT BOLT ON	2
39.	51724634	KIT-HRDW DOMCS LIGHT BRKT FROM ROOF	2
55.	60136440	DS3 -SHELF END 3.44" RF & LR	1
REV. A CN1015			

99906422-5


99906422 COMPLETE PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99906419	D(II) BODY-DSC 11 R 52 L52 UNITED RENTALS (II). 2019	1
2.	70733779	DRAWERS PAINTED 26W 2-5/1-7/5-3 41H	1
3.	70733523	HOSE REEL-REE20 F7925 OLP .75X25FT SALV	1
4.	51716551	PUMP ASM-SALVAGE (ARO .50IN)	1
5.	70734255	HOSE REEL-AIR .50INX50FT 300PSI 5850 OLP	1
6.	51719866	FLR-FOR .50 HOSE REEL (CS) 2006	1
7.	77441510	BEACON LIGHT BAR 17W LED STROBE AMBER	1
8.	77040424	FLOODLIGHT-COMPOSITE WORK LAMP TOP MTG	4
9.	60117375	BRACKET-FLOODLIGHT 12V REAR SP	2
10.	70734400	VISE-COMBINATION 5IN	1
11.	52723035	PLATE-WLDMT HANGING REEL	4
12.	60138957	HANGER-NOZZEL DOMCS	2
13.	52723339	NOZZLE-SALV W-HANGER DOMCS .75	1
14.	51725704	FILTER DRAIN BOX 12X12X10H	1
15.	52726222	GATE-REMOVEABLE W- E TRACK 21.00"H	1
16.	71732054	PIN-QUICK RLSE .50D/2.5CRIT RNG	2
17.	60141942	BRACKET-HANGER SALV NOZZEL TRACK MTG	1
18.	70732112	HOSE REEL- .50 X 50FT MP 7850-OMP	2
19.	51726040	DS3 -LADDER ASSEMBLY-10 YELLOW	1
20.	51718801	D(II)-TAILGATE ASM 10"	1
21.	99905788	DWG-INSTL DOMCS AIR TANK DECK MTG	1
22.	51724005	KIT-HRDW DOMCS LUBE REEL	2
23.	51724632	KIT-HRDW DOMCS REEL FROM ROOF	1
24.	51724637	KIT-HRDW DOMCS SALV PUMP MTG	1
25.	51724633	KIT-HRDW DOMCS REEL FROM ROOF	3
26.	51719822	KIT-HRDW (CS) 2006 WELDER-VISE MTG	1
27.	51724355	KIT-HRDW (CS) 2006 AIR SYS .50 REEL (UR	1
28.	51725956	KIT-HRDW (CS) 3-SEC TANK	1
29.	51725957	KIT-HRDW DOMCS STROBE LIGHT MTG	1
30.	51725955	KIT-HRDW (CS) REAR CAMERA	1
31.	72531421	ELBOW-MPT/90/M JIC .50 8	3
32.	51725998	D(II)-TOP-TELE DOM-11 35 H	1
33.	99905786	TANK-3 SEC UNITED RENTALS S2 NON COLD WEATHER.	1
34.	72531427	ELBOW-MPT/90/M JIC .75 12	1
35.	51721209	MANIFOLD-AIR PUMPS (CS) 2006 2-PUMPS	1
36.	51706696	HOOK-CABLE/HOSE KIT (BOLT IN)	2
37.	60142299	BRACKET-STROBE LIGHT	1
38.	60123421	BRACKET-LIGHT DOM COMPT BOLT ON	2
39.	51724634	KIT-HRDW DOMCS LIGHT BRKT FROM ROOF	2
40.	60138395	BRACKET-FLOOD LIGHT	2
41.	72053556	ELBOW-STREET STL .75 X 90 DEG	1
42.	72053726	ADPTR-MPT/HEX/MPT .75 .50	2
43.	72053497	ADPTR-MPT/M JIC .50 8	2
44.	72534887	FAST FILL-SOCKET .50 NPT .50 BODY (INSERT)	2

ITEM NO.	PART NO.	DESCRIPTION	QTY.
45.	99905789	DWG- RESERVOIR ASM 20GAL UR	1
46.	60251408	GUARD-ROCK .063 ALUM 21.00X 21.00	2
47.	60141883	BRACKET-MOUNTING I150 CONTROL PANEL	1
48.	52726005	GUARD-HOSE DOM W-CAS35WG 19.50	1
49.	60137424	DS3 -DOM1 SHELF 1.5" 17.50	2
50.	60136441	DS3 -SHELF END 1.63" REAR	3
51.	60136439	DS3 -SHELF END 1.63" FRONT	3
52.	60136445	DS3 -SHELF 1.5" 19.00 X 49.75	2
53.	60136438	DS3 -SHELF END 5.25" FRONT	2
54.	60136444	DS3 -SHELF 1.5" 25.75	2
55.	60136440	DS3 -SHELF END 3.44" RF & LR	1
56.	60136437	DS3 -SHELF END 5.25" REAR	1
57.	60136436	DS3 -SHELF END 3.44" LF	1
58.	60142696	DS3 -SHELF END 5.25" RH	1
59.	60142893	BRACKET-LIGHT LH-RH END PANELS	2
60.	60142842	BRACKET-Z SWITCH MOUNT DOM DOOR	1
61.	60142837	BRACKET-SWITCH DOOR TELE TOP	1
62.	77041952	SWITCH-MICRO LIGHT DOM TELE TOP	1
63.	77040640	LIGHT-BAR LED CARGO WALL 1.75X6.25 (UR)	1
64.	51726414	SHELF W-ROLLOUT DRAWER RH HORIZ	2
65.	89039939	TREAD-SHUR STEP 2IN X 66.25IN YELLOW	1
66.	60143686	GUARD-HARNES UNITED RENTALS RF	1
67.	52726789	BRACKET-LEVEL ALARMS 3 SECTION	1
68.	89039939	TREAD-SHUR STEP 2IN X 15.25IN YELLOW	1
69.	89039939	TREAD-SHUR STEP 2IN X 25.50IN YELLOW	1
70.	89039939	TREAD-SHUR STEP 2IN X 13.13IN YELLOW	1


REV. A CN1015

This page left intentionally blank

DOMCS 11' W-UR (99906423)

THIS VIEW
SHOWN WITH HYD
RESERVOIR
AND POWER UNIT


THIS VIEW
SHOWN WITH GAS
DRIVEN COMPR



99906423-1

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99906414	D(II) BODY-DSC 11 R 52 L52 UNITED RENTALS (II). 2019	1
7.	77441510	BEACON LIGHT BAR 17W LED STROBE AMBER	1
19.	51726040	DS3 -LADDER ASSEMBLY-10 YELLOW	1
47.	99905789	DWG- RESERVOIR ASM 20GAL UR	1
REV. A CN1015			


99906423-2



99906423-2

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99906414	D(II) BODY-DSC 11 R 52 L52 UNITED RENTALS (II). 2019	1
2.	70733779	DRAWERS PAINTED 26W 2-5/1-7/5-3 41H	1
3.	70733523	HOSE REEL-REE20 F7925 OLP .75X25FT SALV	1
5.	70734255	HOSE REEL-AIR .50INX50FT 300PSI 5850 OLP	1
6.	51719866	FLR-FOR .50 HOSE REEL (CS) 2006	1
7.	77441510	BEACON LIGHT BAR 17W LED STROBE AMBER	1
10.	70734400	VISE-COMBINATION 5IN	1
11.	52723035	PLATE-WLDMT HANGING REEL	4
12.	60138957	HANGER-NOZZEL DOMCS	2
13.	52723339	NOZZLE-SALV W-HANGER DOMCS .75	1
14.	51725704	FILTER DRAIN BOX 12X12X10H	1
17.	60141942	BRACKET-HANGER SALV NOZZEL TRACK MTG	1
18.	70732112	HOSE REEL-.50 X 50FT MP 7850-OMP	2
19.	51726040	DS3 -LADDER ASSEMBLY-10 YELLOW	1
20.	51718801	D(II)-TAILGATE ASM 10"	1
28.	51725955	KIT-HRDW (CS) REAR CAMERA	1
33.	51721209	MANIFOLD-AIR PUMPS (CS) 2006 2-PUMPS	1
34.	51706696	HOOK-CABLE/HOSE KIT (BOLT IN)	2
37.	72053556	ELBOW-STREET STL .75 X 90 DEG	1
40.	72053726	ADPTR-MPT/HEX/MPT .75 .50	4
46.	72534887	FAST FILL-SOCKET .50 NPT .50 BODY (INSERT)	2
52.	89039939	TREAD-SHUR STEP 2IN X 25.50IN YELLOW	1
71.	51726414	SHELF W-ROLLOUT DRAWER RH HORIZ	2
72.	89039939	TREAD-SHUR STEP 2IN X 66.25IN YELLOW	1
73.	89039939	TREAD-SHUR STEP 2IN X 9.13IN YELLOW	1
74.	60143686	GUARD-HARNESST UNITED RENTALS RF	1
76.	89039939	TREAD-SHUR STEP 2IN X 15.25IN YELLOW	1


REV. A CN1015

99906423-3

99906423-3

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99906414	D(II) BODY-DSC 11 R 52 L52 UNITED RENTALS (II). 2019	1
14.	51725704	FILTER DRAIN BOX 12X12X10H	1
15.	52726222	GATE-REMOVEABLE W- E TRACK 21.00"H	1
67.	60142842	BRACKET-Z SWITCH MOUNT DOM DOOR	1
68.	77041952	SWITCH-MICRO LIGHT DOM TELE TOP	1
69.	60142837	BRACKET-SWITCH DOOR TELE TOP	1
70.	77040640	LIGHT-BAR LED CARGO WALL 1.75X6.25 (UR)	1
REV. A CN1015			


99906423-4



99906423-4

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99906414	D(II) BODY-DSC 11 R 52 L52 UNITED RENTALS (II). 2019	1
12.	60138957	HANGER-NOZZEL DOMCS	2
17.	60141942	BRACKET-HANGER SALV NOZZEL TRACK MTG	1
23.	51724632	KIT-HRDW DOMCS REEL FROM ROOF	1
24.	51724633	KIT-HRDW DOMCS REEL FROM ROOF	3
25.	51724355	KIT-HRDW (CS) 2006 AIR SYS .50 REEL (UR	1
33.	51721209	MANIFOLD-AIR PUMPS (CS) 2006 2-PUMPS	1
34.	51706696	HOOK-CABLE/HOSE KIT (BOLT IN)	2
38.	72053558	ADPTR-MPT/HEX/MPT .75 .75	1
39.	73054230	VALVE-BALL .75	1
40.	72053726	ADPTR-MPT/HEX/MPT .75 .50	4
41.	72534888	FAST FILL-RECEIVER .50 NPT .50 BODY	2
42.	72053725	ADPTR-MPT/HEX/MPT .50 .50	2
43.	73054192	VALVE-BALL .50 (STANDARD)	2
44.	72053305	COUPLING-BLK .75	1
REV.A CN1015			

99906423-5




STROBE LIGHTS-- SWITCH IN CAB, IGNITION HOT, NOT PARK BRAKE GROUND.

4 FLOOD LIGHTS (2-FRONT / 2-REAR)-- SWITCH IN CAB, IGNITION HOT, PARK BRAKE GROUND.

COMPT LED LIGHTS-- SWITCH AT EACH RESPECTIVE DOOR, IGNITION HOT, NOT PARK BRAKE GROUND.

LR CARGO BED LED LIGHT-- SWITCH AT TELE-TOP DOOR, IGNITION HOT, NOT PARK BRAKE GROUND.



99906423 COMPLETE PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	99906414	D(II) BODY-DSC 11 R 52 L52 UNITED RENTALS (II). 2019	1
2.	70733779	DRAWERS PAINTED 26W 2-5/1-7/5-3 41H	1
3.	70733523	HOSE REEL-REE20 F7925 OLP .75X25FT SALV	1
4.	51716551	PUMP ASM-SALVAGE (ARO .50IN)	1
5.	70734255	HOSE REEL-AIR .50INX50FT 300PSI 5850 OLP	1
6.	51719866	FLR-FOR .50 HOSE REEL (CS) 2006	1
7.	77441510	BEACON LIGHT BAR 17W LED STROBE AMBER	1
8.	77040424	FLOODLIGHT-COMPOSITE WORK LAMP TOP MTG	4
9.	60117375	BRACKET-FLOODLIGHT 12V REAR SP	2
10.	70734400	VISE-COMBINATION 5IN	1
11.	52723035	PLATE-WLDMT HANGING REEL	4
12.	60138957	HANGER-NOZZEL DOMCS	2
13.	52723339	NOZZLE-SALV W-HANGER DOMCS .75	1
14.	51725704	FILTER DRAIN BOX 12X12X10H	1
15.	52726222	GATE-REMOVEABLE W- E TRACK 21.00"H	1
16.	71732054	PIN-QUICK RLSE .50D/2.5CRIT RNG	2
17.	60141942	BRACKET-HANGER SALV NOZZEL TRACK MTG	1
18.	70732112	HOSE REEL-.50 X 50FT MP 7850-OMP	2
19.	51726040	DS3 -LADDER ASSEMBLY-10 YELLOW	1
20.	51718801	D(II)-TAILGATE ASM 10"	1
21.	99905788	DWG-INSTL DOMCS AIR TANK DECK MTG	1
22.	51724005	KIT-HRDW DOMCS LUBE REEL	2
23.	51724632	KIT-HRDW DOMCS REEL FROM ROOF	1
24.	51724633	KIT-HRDW DOMCS REEL FROM ROOF	3
25.	51724355	KIT-HRDW (CS) 2006 AIR SYS .50 REEL (UR	1
26.	51725956	KIT-HRDW (CS) 3-SEC TANK	1
27.	51725957	KIT-HRDW DOMCS STROBE LIGHT MTG	1
28.	51725955	KIT-HRDW (CS) REAR CAMERA	1
29.	72531421	ELBOW-MPT/90/M JIC .50 8	3
30.	51725998	D(II)-TOP-TELE DOM-11 35 H	1
31.	99905786	TANK-3 SEC UNITED RENTALS S2 NON COLD WEATHER.	1
32.	72531427	ELBOW-MPT/90/M JIC .75 12	2
33.	51721209	MANIFOLD-AIR PUMPS (CS) 2006 2-PUMPS	1
34.	51706696	HOOK-CABLE/HOSE KIT (BOLT IN)	2
35.	60142299	BRACKET-STROBE LIGHT	1
36.	60138395	BRACKET-FLOOD LIGHT	2
37.	72053556	ELBOW-STREET STL .75 X 90 DEG	1
38.	72053558	ADPTR-MPT/HEX/MPT .75 .75	1
39.	73054230	VALVE-BALL .75	1
40.	72053726	ADPTR-MPT/HEX/MPT .75 .50	4
41.	72534888	FAST FILL-RECEIVER .50 NPT .50 BODY	2
42.	72053725	ADPTR-MPT/HEX/MPT .50 .50	2
43.	73054192	VALVE-BALL .50 (STANDARD)	2



ITEM NO.	PART NO.	DESCRIPTION	QTY.
44.	72053305	COUPLING-BLK .75	1
45.	72053497	ADPTR-MPT/M JIC .50 8	2
46.	72534887	FAST FILL-SOCKET .50 NPT .50 BODY (INSERT)	2
47.	99905789	DWG- RESERVOIR ASM 20GAL UR	1
48.	300H	VANAIR 300H	1
49.	60251408	GUARD-ROCK .063 ALUM 21.00X 21.00	2
50.	60141883	BRACKET-MOUNTING I150 CONTROL PANEL	1
51.	52726005	GUARD-HOSE DOM W-CAS35WG 19.50	1
52.	89039939	TREAD-SHUR STEP 2IN X 25.50IN YELLOW	1
53.	60142696	DS3 -SHELF END 5.25" RH	1
54.	60136439	DS3 -SHELF END 1.63" FRONT	3
55.	60136441	DS3 -SHELF END 1.63" REAR	3
56.	60137424	DS3 -DOM1 SHELF 1.5" 17.50	2
57.	60136438	DS3 -SHELF END 5.25" FRONT	2
58.	60136445	DS3 -SHELF 1.5" 19.00 X 49.75	2
59.	60136444	DS3 -SHELF 1.5" 25.75	2
60.	60136440	DS3 -SHELF END 3.44" RF & LR	1
61.	60136437	DS3 -SHELF END 5.25" REAR	1
62.	60136436	DS3 -SHELF END 3.44" LF	1
63.	51726293	LIGHT ASM LED ADH 18 LH	6
64.	51726294	LIGHT ASM LED ADH 18 RH	4
65.	60142893	BRACKET-LIGHT LH-RH END PANELS	2
66.	99905804	TANK-3 SEC UNITED RENTALS S2 COLD WEATHER.	1
67.	60142842	BRACKET-Z SWITCH MOUNT DOM DOOR	1
68.	77041952	SWITCH-MICRO LIGHT DOM TELE TOP	1
69.	60142837	BRACKET-SWITCH DOOR TELE TOP	1
70.	77040640	LIGHT-BAR LED CARGO WALL 1.75X6.25 (UR)	1
71.	51726414	SHELF W-ROLLOUT DRAWER RH HORIZ	2
72.	89039939	TREAD-SHUR STEP 2IN X 66.25IN YELLOW	1
73.	89039939	TREAD-SHUR STEP 2IN X 9.13IN YELLOW	1
74.	60143686	GUARD-HARNESS UNITED RENTALS RF	1
75.	60143571	GUARD-ELEC TRAILER PLUG UNITED RENTALS	1
76.	89039939	TREAD-SHUR STEP 2IN X 15.25IN YELLOW	1

REV. A CN1015

This page left intentionally blank

Section - 7

Tailgate & Bumpers

Tailgate Assembly - 10" (51718801)

51718801 PARTS LIST




ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	52718802	TAILGATE WELDMENT REAR COVER	1
2.	52718803	TAILGATE WELDMENT LATCH ROD	1
3.	52718804	TAILGATE WELDMENT FRONT COVER	1
6.	72661226	RIVET-ALUMINUM .257 DIA X .38 GRIP	14
7.	71411138	SPRING-COMPRESSION .50 X 3.50 X 14GA	1
8.	60126539	BRACKET, TAILGATE REAR COVER	2
9.	72063001	WASHER .25 FLAT (WAS 72063166)	8
10.	72060002	CAP SCR .25-20X .75 HH GR5Z	4
11.	72062104	NUT .25-20 HEX NYLOC (WAS 72062194)	4
12.	72063003	WASHER .38 FLAT (WAS SS)	8
13.	72060047	CAP SCREW .38-16X 1.25 HHGR5Z (WAS 72601835)	4
14.	72062103	NUT .38-16 HEX NYLOC (WAS 72062197)	4
15.	72661600	CABLE, PLASTIC COATED	2
17.	52719638	TAILGATE POST WELDMENT, RH	1
18.	52719639	TAILGATE POST WELDMENT, LH	1

REV. G


NOTES:

1. Install rod weldment #2 into panel #3 slots.
2. Connect spring #7 between panel #3 bracket and rod #2 bracket.
3. Join panel #1 over panel #3.
4. Connect panel #1 to panel #3 with rivet #6.
5. Insert lower mounting pin of mounting brackets #17 and #18 into lower hole of assembled tailgate.
6. Bolt assembly to rear of body.
7. Cable #15 will share the top mounting hole in brackets #17 and #18. Attach the other end of cable to the top end of the tailgate to hold the tailgate parallel to the cargo floor.

Bumper Hitch & Workbench Options

DOMINATOR BUMPER HITCH & WORKBENCH OPTIONS		
PART NO.	DESCRIPTION	NOTES
51709516	Pintle ball combination with 2" removable ball.	
51709517	Hitch	 Can be located on RH side, LH side, or both with quantity of 2.
51710172	Vise mounting bracket Parts List: 1. 71731462 () 2. 60142621 (1) 3. 60142620 (1) 4. 72060048 (4) 5. 72062103 (4) 6. 72063003 (8)	 Note: See drawing 99903161 for installation instructions.
70733332	Combination Vise, 5"	Can be located on RH side, LH side, or both with quantity of 2.
60117003	Vise plate, weld-on 12" x 12" x 12"	Can be located on RH side, LH side, or both with quantity of 2.


BUMPER HITCH & WORKBENCH OPTIONS-CONTINUED

BUMPER HITCH & WORKBENCH OPTIONS		
Part Number	Description	Notes
51720004	Pintle Hitch Mount	


This page left intentionally blank

Section - 8

Boom Support



Boom Support Adjustable (99905641)

THIS VIEW APPLIES TO
THE FOLLOWING CRANE INSTALLATIONS
1015 2020 2820
5005i 6006i




THIS VIEW APPLIES TO
THE FOLLOWING CRANE INSTALLATIONS
3203i & 4004i

NOTE: 2003i DOES NOT REQUIRE A BOOM
SUPPORT




THIS VIEW APPLIES TO
THE FOLLOWING CRANE INSTALLATIONS:
6000, 7500, 8600, 9500, 10000.


Boom Support Adjustable (99905157)



THIS VIEW APPLIES TO
THE FOLLOWING CRANE INSTALLATIONS:
2020 2820
5005i 6006i



THIS VIEW APPLIES TO THE
FOLLOWING CRANE INSTALLATIONS:
3203i
4004i
NOTE: THE 2003i DOES NOT REQUIRE A BOOM SUPPORT



THIS VIEW APPLIES TO THE FOLLOWING
CRANE INSTALLATIONS:
7500, 8600, 9500, 10000.

BOOM SUPPORT INFORMATION:
51724934 TO BE USED ON THE FOLLOWING APPLICATIONS:
DOM 1 9FT RAISED FRONT RIGHT 7500 SHORT
DOM 1 11FT RAISED FRONT RIGHT 7500 SHORT ALL CHASSIS
DOM 1 11FT RAISED FRONT RIGHT 7500 LONG WITH SHORT CAB CHAS

51724939 TO BE USED ON THE FOLLOWING APPLICATIONS:
DOM 1 11FT STANDARD 7500 SHORT WITH TALL CAB CHASSIS
DOM 1 11FT STANDARD 7500 LONG WITH TALL CAB CHASSIS




DOM 2 11FT STANDARD 7500-10000 SHORT WITH TALL CAB CHASSIS
DOM 2 11FT STANDARD 7500-10000 LONG WITH TALL CAB CHASSIS

This page left intentionally blank

Section - 9

Electrical & Lighting





DOMCS - Light Bar (52722372)



NOTES: Light bar typically used for F350, F550, and Ram 48" cab height.


ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	60134526	BRACKET-MTG PLATE LIGHT BAR 20H	1
2.	60133964	GUSSET-LIGHT BAR	2
3.	60116163	TUBE-SQ 2.00 X 2.00 X .12 X 19.62	2
REV. A			

DOMCS - Light Bar (52722120)




NOTES: Light bar typically used for F650 & F750 60" cab height..

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	60119709	TUBE-SQ 2.00X 2.00X.12X 34.00	2
2.	60133963	BRACKET-MTG PLATE LIGHT BAR	1
3.	60133964	GUSSET-LIGHT BAR	2
REV. A			

DOMCS - 47" Light Bar (99905216)**NOTES:**


1. Route to area next to switch. Seal wire ends. Do not connect these wire ends.
2. Add 4-pin connector behind cab and between chassis frame rails.
3. If light bar must be cycled to achieve desired light pattern, this is accessed under the cover of the light module.

DOMCS - 52" Light Bar (77441474)




NOTES:


1. The above light bar configuration comes standard with clear domes and MK9S slide bolt mount kit.
2. To add rear work lights, include model JHCTSL1.
3. IMT part number 77441510 is the 17" light bar.
4. IMT part number 77441474 is shown 50".

DOMCS - Harness, 11' Frt Jumper LED (77441618)

Wiring Harness






Wiring Schematic

DOMCS - Strobe Light Bar (77441510)

NOTE: Use with IMT part number 77441474, 47" Light bar.

DOMCS - Flood Light Installation (99906020)



99906020 PARTS LIST


ITEM NO.	PART NO.	DESCRIPTION	FRONT MOUNT 51727132	MID-MOUNT 51726756	REAR MOUNT 51726761	FLOOD LIGHT PROPANE 51726775
1.	60144533	BRACKET-FLOODLIGHT 12V FRONT W-P-P MSTR	2			
2.	60139526	BRACKET-FLOODLIGHT 12V REAR SP			2	1
3.	72062194	NUT .25-20 HEX SS 18-8 NYLOCK	4	4		2
4.	76392820	WASHER-BONDED .25 PLTD	4		4	2
5.	72602140	SCR-MACH .25-20X 1.00 BTNHD HEX SS	4			
6.	72602097	BOLT-CRG .25-18X 1.00 SQNK SS			4	2
7.	77040581	FLOODLIGHT-LED 12-36VDC	2	2	2	2
8.	76399341	GROMMET-RUBBER .25IDX .44PHDX .19PTHK	4	2		1
9.	76399342	GROMMET-RUBBER .25IDX .44PHDX .25PTHK			1	
10.	76399343	GROMMET-RUBBER .25IDX .38PHDX .05PTHK			1	1
11.	77044574	CONN-PKRD WEATHERPACK 2 CAV FEMALE/TOWER	2	2	2	1
12.	77044927	CABLE SEAL-PKRD WP/ MP 14 GA GREY	4	4	4	2
13.	77045888	TERM-PKRD WEATHERPACK 14-16GA FEMALE	4	4	4	2
14.	76392598	WASHER-BONDED .31 PLTD		2		

REV. F

NOTES:

1. Locate mid-mount flood lights out of way of boom support.
2. Optional location for right front flood light dependent on exhaust clearance.
3. Crane compartment flood light grommet is item #10.
4. Terminate wires with #11, #12, #13, not polarity sensitive.
5. If Master Lock is present at front, all four mount holes are used.

DOMCS - Light Kit Installation (99905850)




99905850 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	51726298	LIGHT ASM LED ADH 48 RH	A/R
2.	51726297	LIGHT ASM LED ADH 48 LH	A/R
3.	51726295	LIGHT ASM LED ADH 36 LH	A/R
4.	51726294	LIGHT ASM LED ADH 18 RH	A/R
5.	51726293	LIGHT ASM LED ADH 18 LH	A/R
7.	72661418	RIVET-POP AL .188 X .50 GRIP	A/R
9.	72060636	SCR-MACH #10-24X .75 RDH PH ZINC	A/R
10.	72063000	WASHER .19 W FLAT ANSI B27.2Z	A/R
12.	72062106	NUT 10-24 HEX NYLOCK	A/R
13.	77045977	RETAINER-ZIP TIE FIR TREE MOUNT 30 LBS	A/R
REV. C			


LED LIGHT KIT: (99905850)

	18" LED LIGHT BAR RH 51726294	18" LED LIGHT BAR LH 51726293	36" LED LIGHT BAR RH 51726296	36" LED LIGHT BAR LH 51726295	48" LED LIGHT BAR RH 51726298	48" LED LIGHT BAR LH 51726297	TOTAL LIGHTS	LIGHT KIT NUMBER
DOMCS 11' STD. 52" H	2	2	3	2			9	51726752
CRANECOMP RH.				1			1	51726753
CRANECOMP LH			1				1	51726774
DOMCS-11' STD WITH RF RSD	2	2	2	1	1	1	9	51726973

99905850-1, LIGHT KIT INSTALLATION, (CONTINUED)

99905850-1 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
3.	51726295	LIGHT ASM LED ADH 36 LH	A/R
6.	52726938	BRACKET-LIGHT LH-RH END PANELS W/NUT	A/R
7.	72661418	RIVET-POP AL .188 X .50 GRIP	A/R
8.	72060634	SCR-MACH #10-24X .50 RDH	A/R
9.	72060636	SCR-MACH #10-24X .75 RDH PH ZINC	A/R
11.	72063047	WASHER #10 LOCK	A/R
REV. C			

DOMCS - Installation - Jump Start, Rear 99906393

99906393 PARTS LIST

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	60145916	GUARD-ELEC TRAILER PLUG DOMCS BOLT ON	1
2.	52727580	BRACKET-REAR JUMP START BOLT ON.	1
3.	77040020	ALARM-BACK UP HORN	1
REV. INITIAL RELEASE			

BODY WITH WORKBENCH OR STEP BUMPER:

- FOR ALL INSTALLATIONS EXCEPT WITH VANAIR 300: 51727663 JUMP START-KIT REAR JUMP CON HITCH 175A.
- FOR INSTALLATION WITH VANAIR 300: 51727634 JUMP START-KIT REAR JUMP CON HITCH 300A.

BODY WITH LOADGATE REAR END:

- FOR ALL INSTALLATIONS EXCEPT WITH VANAIR 300: 51722370 JUMP START-KIT REAR JUMP CON IN COMPT 175A
- FOR INSTALLATION WITH VANAIR 300: 51727635 JUMP START-KIT REAR JUMP CON IN COMPT 300A

DOMCS - Protective Sleeve Installation (70034573)

Please follow the instructions and illustrations below on how to install the protective sleeve on AMG fuse holders that are not fastened to the chassis or body with metal fasteners.




Step 1: Place the protective sleeve under the fuse holder, centering the holder with the protective sleeve.




Step 2: Securely wrap the two ends of the protective sleeve together making sure velcro is sealed on the top side of the front jump start plug holder.



Step 3: Securely zip tie both ends of the protective sleeve.




AMG FUSE HOLDERS REQUIRING PROTECTIVE SLEEVE	
PART NO.	DESCRIPTION
77041593	FUSE HOLDER-AMG 1 POS W-COVER HMG-221
77441116	FUSE HOLDER-AMG 1 POS W-COVER FMG-211
77040714	FUSE HOLDER-AMG AND MEGA 500 AMP W/COVER



Section - 10



General Information

Back-Up Camera Bracket




99906583 PARTS LIST			
ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	60146776	BRACKET-CAMERA B-U THRU RACEWAY	1
2.	51728339	KIT-MTG CAMERA B-U RAM GM INT	1
3.	51728340	KIT-MTG CAMERA B-U FORD CONVOY	1
4.	51728341	KIT-COVER WB WO B-U CAMERA	1
5.	72602173	NUT .25-20 WELL SHORT .50 OD	2
6.	72601653	SCR-MACH .25-20X 1.00TRHTORXSS	2

REV. INITIAL RELEASE CN 1178-1

BACK-UP CAMERA BRACKET CONTINUED**99906583-1 PARTS LIST**


ITEM NO.	PART NO.	DESCRIPTION	QTY.
2.	51728339	KIT-MTG CAMERA B-U RAM GM INT	1
2.1.	52728098	BRACKET-CAMERA B-U RAM GM INT	1
2.2.	60146782	BRACKET-CAMERA B-U COVER PROTECT CAMERA	1
2.3.	60030596	NYLON UNTHEADED SPACER .38X.19X.50	2
2.4.	72661786	RIVET-POP AL .188 X .75 GRIP	2
2.5.	72661418	RIVET-POP AL .188 X .50 GRIP	1
5.	72602173	NUT .25-20 WELL SHORT .50 OD	2
6.	72601653	SCR-MACH .25-20X 1.00TRHTORXSS	2

REV. INITIAL RELEASE CN 1178-1

BACK-UP CAMERA BRACKET CONTINUED**99906583-2 PARTS LIST**

ITEM NO.	PART NO.	DESCRIPTION	QTY.
3.	51728340	KIT-MTG CAMERA B-U FORD CONVOY	1
3.1.	52728099	BRACKET-CAMERA B-U FORD CONVOY	1
5.	72602173	NUT .25-20 WELL SHORT .50 OD	2
6.	72601653	SCR-MACH .25-20X 1.00TRHTORXSS	2


REV. INITIAL RELEASE CN 1178-1

BACK-UP CAMERA BRACKET CONTINUED**BLANK - NO BACKUP CAMERA**

99906583-3 PARTS LIST			
ITEM NO.	PART NO.	DESCRIPTION	QTY.
4.	51728341	KIT-COVER WB WO B-U CAMERA	1
4.1.	60146778	BRACKET-CAMERA B-U COVER	1
5.	72602173	NUT .25-20 WELL SHORT .50 OD	2
6.	72601653	SCR-MACH .25-20X 1.00TRHTORXSS	2
REV. INITIAL RELEASE CN1178-1			

DOMCS - Decal Placement Kit (51716597)


PART NO.	DESCRIPTION	QTY.
99903896	DWG-DECAL LOCATION UNITED RENTAL 2006	1
70029119	PLACARD - SERIAL NUMBER	1
70392309	DECAL - DIESEL FUEL ONLY	1
70394442	DECAL - FILL CHECK EVACUATE	1
70392213	DECAL - CAUTION DON'T WASH / WAX	1
70392982	DECAL - SERVICE & REPAIR (GARNER)	1
70392453	DECAL - UNLEADED GASOLINE ONLY	2
70392840	DECAL - FLOOD LIGHT .44 x 1.25	1
70396864	DECAL - CPRSR CHOKE - UR 2006	1
70396008	DECAL - NOTICE: IGNITION SWITCH - U. R. DOM	1
70392387	DECAL - VEH CERT FINAL STG - SMP YELLOW	1
70397078	DECAL - SHEET UNITED RENTALS	1
70396164	DECAL DANGER BREATHE - SEE NOTES	1
70397075	DECAL - HITCH RECEIVER 500V-5000P	1

DOMCS - Rock Guards (99906298)

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1.	60251811	GUARD-ROCK .06 ALUM DOM(II) 44H W-BEND	REF
2.	72661226	RIVET-AL .257 DIA X .38 GRIP	AR
REV. INITIAL RELEASE			

KIT NO.	PRODUCT	CONFIG	44"H SDPK 60251811	52"H SDPK 60251830	60"H SDPK 60251810	52"H SKPK- 24"D 60251844	60"H SDPK- 24"D 60251842
51724683	DOMCS 20, DOM 1	44"H	2				
51724684	DOMCS20, DOM 1	44"H 60"H	1		1		
51724685	DOMCS20, DOM1, DOM2, DOM3	60"H			2		
51724686	DOMCS, DOM2, DOM3	52"H		2			
51724687	DOMCS, DOM2, DOM3	52"H 60"H		1	1		
51724688	DOM4	52"H		1		1	
51724689	DOM4	52"H 60"H		1	2		1
51724690	DOM4	60"H					1
<hr/>							
KIT NO.	PRODUCT	CONFIG	22" H UBTB 60251843	60"H COMPT 60251406			
51726574	WELDER DECK	22"H UBTB	2				
51726575	WELDER DECK	22"H UBTB 60"H	1	1			
51727392	WELDER DECK	60"H		2			

DOMCS - Turntable Bearing Thread Tightening Sequence







TIGHTENING PROCEDURE

1. Refer to the torque data chart to determine the proper torque value to apply to the size of cap screw used.
2. Follow the tightening sequence shown in the diagram. Note that the quantity of capscrews may differ from the diagram, but the sequence must follow the criss-cross pattern as shown in the diagram.
3. Torque all cap screws to approximately 40% of the specified torque value, by following the sequence.
 - (Example: .40 X 265 ft-lb = 106 ft-lb)
 - (Example-metric: .40 X 36 kg-m = 14.4 kg-m)
4. Repeat step 3, but torquing all cap screws to 75% of the specified torque value. Continue to follow the tightening sequence.
 - (Example: .75 X 265 ft-lb = 199 ft-lb)
 - (Example-metric: .75 X 36 kg-m = 27 kg-m)
5. Using the proper sequence, torque all cap screws to the listed torque value as determined from the torque data chart.

NOTES: Refer to the turntable bearing thread tightening diagram for proper tightening / torquing sequence of the turntable bearing to the crane base and crane mast. The total quantity of cap screws varies dependent on crane model.

DOMCS - Thread Torque Chart

FINE THREAD BOLTS (ENGLISH)				COARSE THREAD BOLTS (ENGLISH)			
SIZE	BOLT DIA.	GRADE 5  SAE J429 GRADE 5	GRADE 8  SAE J429 GRADE 8	SIZE	BOLT DIA.	GRADE 5  SAE J429 GRADE 5	GRADE 8  SAE J429 GRADE 8
(DIA-TPI)	(INCHES)	PLAIN	PLATED	(DIA-TPI)	(INCHES)	PLAIN	PLATED
		(FT-LB)	(FT-LB)			(FT-LB)	(FT-LB)
5/16-24	0.3125	19	14	27	20		
3/8-24	0.375	35	26	49	35		
7/16-20	0.4375	55	41	78	58		
1/2-20	0.5	90	64	120	90		
9/16-18	0.5625	120	90	170	130		
5/8-18	0.625	170	130	240	180		
3/4-16	0.75	300	225	420	315		
7/8-11	0.875	445	325	670	500		
1-12	1	645	485	995	745		
1 1/8-12	1.125	890	670	1445	1085		
1 1/4-12	1.25	1240	930	2010	1510		
1 3/8-12	1.375	1675	1255	2710	2035		
1 1/2-12	1.5	2195	1645	3560	2670		

NOTES:

1. Tightening torques provided are mid-range.
2. Consult bolt manufacturer's specifications, when provided.
3. Use flat washers of equal strength.
4. All torque measurements are given in foot-pounds.
5. Torque values specified are for bolts with residual oils or no special lubricants applied. If special lubricants of high stress ability, such as never-seez compound graphite and oil, molybdenum disulfide, colloidal copper or white lead are applied, multiply the torque values in the charts by the factor .90. The use of loctite does not affect the torque values listed above.

WARNING

Anytime a gear-bearing bolt is removed, it must be replaced with a new bolt of the identical grade and size. Once a bolt has been torqued to 75% of its proof load and then removed, the torque coefficient may no longer be the same as when the bolt was new thus giving indeterminate clamp loads after torqueing. Failure to replace gear-bearing bolts may result in bolt failure due to metal fatigue causing death or serious injury.

DOMCS - Thread Torque Chart (Metric)

FINE THREAD TORQUE CHART (METRIC)					
TIGHTENING TORQUE					
SIZE (DIA-TPI)	BOLT DIA. (INCHES)				
		PLAIN (KG-M)	PLATED (KG-M)	PLAIN (KG-M)	PLATED (KG-M)
5/16-24	0.3125	3	2	4	3
3/8-24	0.375	5	4	7	5
7/16-20	0.4375	8	6	11	8
1/2-20	0.5	12	9	17	12
9/16-18	0.5625	17	12	24	18
5/8-18	0.625	24	18	33	25
3/4-16	0.75	41	31	58	44
7/8-11	0.875	62	45	93	69
1-12	1	89	67	138	103
1 1/8-12	1.125	123	93	200	150
1 1/4-12	1.25	171	129	278	209
1 3/8-12	1.375	232	174	375	281
1 1/2-12	1.5	304	228	492	369

COARSE THREAD TORQUE CHART (METRIC)					
TIGHTENING TORQUE					
SIZE (DIA-TPI)	BOLT DIA (INCHES)				
		PLAIN (KG-M)	PLATED (KG-M)	PLAIN (KG-M)	PLATED (KG-M)
5/16-18	0.3125	2	2	3	2
3/8-16	0.375	4	3	6	5
7/16-14	0.4375	7	5	10	7
1/2-13	0.5	10	8	15	11
9/16-12	0.5625	15	11	21	16
5/8-11	0.625	21	16	30	22
3/4-10	0.75	37	28	52	39
7/8-9	0.875	55	41	84	63
1-8	1	82	62	126	94
1 1/8-7	1.125	110	82	178	133
1 1/4-7	1.25	155	116	251	188
1 3/8-6	1.375	203	152	329	246
1 1/2-6	1.5	270	210	438	328

NOTES:

1. Tightening torques provided are mid-range.
2. Consult bolt manufacturer's specifications, when provided.
3. Use flat washers of equal strength.
4. All torque measurements are given in kilogram-meters.
5. Torque values specified are for bolts with residual oils or no special lubricants applied. If special lubricants of high stress ability, such as never-seez compound graphite and oil, molybdenum disulfide, colloidal copper or white lead are applied, multiply the torque values in the charts by the factor .90. The use of loctite does not affect the torque values listed above.

WARNING

Anytime a gear-bearing bolt is removed, it must be replaced with a new bolt of the identical grade and size. Once a bolt has been torqued to 75% of its proof load and then removed, the torque coefficient may no longer be the same as when the bolt was new thus giving indeterminate clamp loads after torqueing. Failure to replace gear-bearing bolts may result in bolt failure due to metal fatigue causing death or serious injury.

Revisions



IOWA MOLD TOOLING CO., INC.

P.O. Box 189 Garner, IA 50438

Tel: 641.923.3711

Fax: 641.923.2424

www.imt.com

IMT reserves the right to make changes in engineering, design, specifications, add improvements or discontinue manufacturing at any time without notice or obligation.

IMT and IMT LOGO are registered trademarks of Iowa Mold Tooling Co., Inc., Garner, IA, USA.
© 2022 Iowa Mold Tooling Co., Inc. All Right Reserved.